

INDEX OF AUTHORS AND SUBJECTS

Vol. 110

IBIS

For brevity a cross \times has been used instead of such phrases as "effect of, on . . .", "effect on, of . . .", and "in relation to", and should be interpreted appropriately in each case.

- Adaptation, 29, 43, 247, 343, 361, 419, 443, 513.
 \times migration, 410, 412-3.
- Aerodynamics, 413.
- AFRICA, South, avifauna, origin of, 91-3.
 West, *Picathartes gymnocephalus* in, 93-9.
- Age of birds,
 \times breeding, start, 135.
 clutch size, 271.
 laying, start, 135, 138, 140.
 mortality rate, 234.
 movements, 335.
 tenacity to site, 335.
- at first
 attaining adult plumage, 570.
 breeding, 135, 333, 570.
 cessation of being fed by foster-parents, 327-8.
 eviction of eggs/young of host, 325-6.
 feeding self, 163.
 hanging upside down, 163.
 leaving nest, 163.
 opening eyes, 98, 163.
 subsong, 554.
- at maturity, 335.
 evidence of, 106.
- ALDABRA, preservation of, 128.
- ALLEN, F. G. H. et al., Collecting of rare birds, 211.
- AMERICA, SOUTH, West Coast, Grey-headed Gull on, 357.
- Anatomy, comparative, 87-9.
- ARNOLD, R. W., see FEENY, P. P.
- ASH, J. S., see FRY, C. H. et al.
- Associations, birds/
 birds, interspecific, 19, 505, 509, 513, 573-5.
 migrating, 78, 288, 295, 299, 310, 466, 524
 et seq.
 nesting, 345, 570.
- fishes, 496, 515.
- mammals, 168.
 nesting, 20.
- man \times breeding success, 141.
 agriculture, 24.
 scavenging, 288, 305, 351.
 shipping, 6 et seq.
- ATLANTIC, North, transects, 1-16.
- BAILEY, R. S., Pelagic distribution of seabirds in Western Indian Ocean, 493-519.
- BAILEY, R. S., POCKLINGTON, R., and WILLIS, P. R., Storm-petrels in Indian Ocean, 27-34.
- BAILEY, R. S., see FEENY, P. P.
- BAKER, R. R., Bird migration and habits of butterflies, 411.
- BARLOW, J. C., Displays of Spotted Pigeon, 102-4.
- Bathing, 147.
 as taxonomic character, 148.
- Behaviour,
 aggressive, birds to
 birds, 12.
 interspecific, 295, 323, 329.
 adults/young, 328.
 intraspecific, 322.
 redirected, 157.
 agonistic, 152 *et seq.*
 at roost, 332 *et seq.*
 displacement, 157, 203, 297.
 distraction, injury-feigning, 201.
 in rain, 148.
 of parrots, 145-64.
 sick birds, 147.
 on disturbance at roost, 336.
 selection of nest site, 571-3.
 redirected, 159.
 ritualised, 152.
 social, 297.
- BENSON, C. W. et al., White-rumped Swifts in Spain, 106.
- BERNDT, R., and STERNBERG, H., Bird dispersion 256-69.
- BESSBOROUGH, Lord, see THORPE, W. H. et al
- Bill, colour \times hormones, 564.
 shrinkage in skins, 100-2.
 size, 359.
 use of, in climbing, 149.
 wiping, 104, 151.
- Biometry, gonads, 87-9.
- Blood supply, factors affecting, 205.
- Bobbing, \times nest site selection, 571.
- BOCK, W. J., Sequence of bird lists, 368-9.
- Body water, \times migration, 413.
 moult, 205, 413.
 weight of birds, 438.
- BORNEO, Sabah, check-list of birds of, 165-96.
- BOURNE, W. R. P., Birds of Rodriguez, Indian Ocean, 338-44.
- Seabird migrations, 414.
- Bowing, 102, 323.
 \times nest site selection, 571.
- Breeding,
 biology,
 gonads, asymmetry of, 87-9.
 condition of, change, seasonal, 360.
 factors affecting, 141-2.
 of Fairy Prions, 359.
 sparrows, 270-83.
- cycle, \times weight of birds, 141.
 ecology, 346-8.
 frequency, 97, 131, 330, 360.
 factors affecting, 330.
 grounds, 569.
 \times winter quarters, 410.
 movements to/from, \times age, 11.
 season, 132 *et seq.*, 324, 569.
 \times moult, 361.
 rainfall, 99.
 seasons, climatic, 99.

U. OF ILL. LIBRARY

SEP 4 1969

CHICAGO CIRCLE

- double, 97.
 factors affecting, 141–2, 343.
 in Malaya, 359–63.
 of seabirds, 338–44.
 sparrows, 129–44, 359–63.
 social, evolution of, 234.
 start, 569.
 × breeding grounds, return to, 324.
 factors affecting, 135 *et seq.*, 502.
 success, 97, 132 *et seq.*
 × movements, 415.
 factors affecting, 141, 234.
 variation, annual, 415.
- British Ornithologists' Union,
 Conferences, 409–15.
 Expeditions, 235–7.
 Honours and Awards, 366.
 Meetings, 234, 408–9.
 Members, new, xii.
 Reports, 405–8.
- Brood size, 22, 346–8.
 × growth rate, 413–5, 427.
 variation, annual, 415.
- Brood parasitism, 521 *et seq.*
- hosts,
 behaviour, aggressive to parasite, young, 328.
 breeding frequency, 330.
 success, 330.
 eggs of, damaged/removed, 325.
 feeding parasite, fledged, 326–7.
 with own young, 326.
 nests of, proportion parasitised, 330.
 population of, effect of parasitisation, 330.
- parasites,
 breeding season of, × breeding season of host, 324.
 success, factors affecting, 326.
 eggs, colour, × eggs of host, 324, 329.
 number laid, in same nest, 326.
 fledging period, 326.
 host-specificity of, 329.
 incubation period, 325.
 voice, × voice of host, 329.
- Brood spots, 28.
- BROOKE, R. K., *see* BENSON, C. W. *et al.*
- BUCKLEY, F. G., Behaviour of Hanging Parrots, 145–64.
- Butterflies, × migration of birds, 411.
- CADE, T. J., Experiments on effect of water deprivation, 579.
- CAIRNS, J., Serpent Eagles of Penang Island, Malaya, 569–71.
- CASPIAN, South, autumn migration in, 35–86.
- Castration, × song output, 553.
- Census, of seabirds, 417.
- CHEKE, A. S., Copulation of Hamerkop, 201–3.
- CLAPP, R. B., New records from Phoenix and Line Islands, 573–5.
- Climate, changes in, × distribution, 25, 90–1.
- Climbing behaviour, 149.
- Clines, 461, 538.
- Cloud, × migration, 42, 452 *et seq.*, 521 *et seq.*
 × song output, 24.
 young, development, physical, 234.
- Clutch(es),
 interval between, 134.
 new, added to eggs, old, 280.
 number per season, 139.
- replacement, 139, 570.
 interval after loss, 570.
 size, 19, 98, 131, 163, 346–8, 360, 569.
 × age of parents, 271.
 daylength, 273.
 food supply, 272.
 young, growth rate, 427, 439 *et seq.*
 factors affecting, 271 *et seq.*
 of sparrows, 270 *et seq.*
 variation, annual/local/seasonal, 272.
 weight, × weight of birds, 271.
- Cochlea, removal of, effects, 550, 556 *et seq.*
- Collection of birds, rare, 211.
- Colonization, by birds, 247 *et seq.*
 by man, effect on birds, 343.
- Colour pattern, × display, 104.
- Competition, birds/
 birds, interspecific, 351, 515.
 × food, 250.
 intraspecific, young *inter se*, 430.
- Congress, International Ornithological, XV, 591.
 Pan-African, III, 238, 591.
- Conservation, 211.
- Copulation, 160.
 behaviour of Hamerkop, 201–3.
 false-mounting, 201.
- Courtship behaviour, 158 *et seq.*, 323, 333.
 feeding, 158, 323.
- CRAMP, S., *see* THORPE, W. H. *et al.*
- Crest, carriage and movements, 201.
- DARKU, K., *see* GRIMES, L.
- Daylength, × breeding, start, 142.
 × clutch size, 273.
 migration, timing of, 413.
- D'CRUZ, D., *see* WARD, P.
- Deafness, × song development, 549–68.
- Defaecation, × preening, 148.
 behaviour, 148.
 by young, 98.
- Defence of
 feeding area, 155.
 individual distance, 154.
 territory, 322.
- Definitions, 256–8.
- Desertion of nest, causes, 279.
- Dimorphism,
 phases, distribution, 6, 9, 10, 509.
 sexual, 146.
- Dismigration, defined, 258.
- Dispersal, defined, 256.
 direct, 258.
 indirect, 258.
- Dispersion, defined, 256.
 × subspeciation, 261.
 terms, studies and experiments in, 256–69.
- Display, 122, 201, 347.
 × courtship, 158 *et seq.*, 333, 336.
 food supply, changes in, 336.
 roosting, 333, 336.
 territory, 322.
- communal, factors affecting, 142.
 epideictic, 336.
 epigamic, 102.
 flight, 333, 336.
- of Pigeon, Spotted, 102–4.
- Distribution,
 × barriers, physical, 90–1.
 distribution of fish, 503.
 food supply, 5, 172.

- ocean currents, 6, 29, 496 *et seq.*
 temperature, 3, 5, 29, 496 *et seq.*
- archaic, factors affecting, 90–1.
 defined, 256.
 factors affecting, 1–16, 24–5, 29, 141, 283 *et seq.*, 359–60, 496 *et seq.*
- of East African birds, 537–48.
 sea birds in Indian Ocean, 493–519.
- Disturbance, effects of, 279, 323, 326.
- Drinking, 22, 466–7.
 behaviour, 150.
- Driving, 103.
- Ecology, \times weight of birds, 419.
- ECUADOR, Grey-headed Gull in, 357–8.
- EGGELING, W. J., *see* THORPE, W. H. *et al.*
- Eggs,
 addled, 280.
 ejection by parents, 279.
 damage to, by parents, 280.
 described, 569.
 development of, latent period, 278.
 fertility, 281.
 loss of, causes, 280.
 size, 359.
 variation, geographical, 360.
 temperature, 275.
- EGYPT, notable records from, 575–8.
- Embryos, mortality rate, 281.
- Energy requirements,
 \times development, physical, 444.
 migration, 413.
- EVANS, P. R., Reorientation of passerine night migrants after displacement, 412.
 Physiological problems in migration, 413.
- Evolution, \times adaptation, 343.
- Expansion, defined, 256.
- Experiments on birds, comments on, 207, 579–80.
- FALKLAND ISLANDS, Breeding of *Pachyptila turtur* in, 358–9.
- Family bond, duration, brood parasite/host, 327.
- Fat, body,
 \times weight of birds, 439.
 content, 353.
 deposit, 235.
 \times *Zugunruhe*, 413.
 factors affecting, 413.
 storage, \times aerodynamics, 413.
- Fear, effects of, 279.
- Feeding,
 behaviour, 149.
 \times growth rate, 439.
 ecology, 515.
 \times size of birds, 443.
 grounds, \times roost site, 333.
- Feeding,
 of mate, 163.
 young, by
 foster-parents, 316–9.
 and others, 328–9.
 parents, rate, 98.
 share of sexes, 98.
- range, 24.
 \times size of birds, 234.
- FEENY, P. P., ARNOLD, R. W., and BAILEY, R. S., Autumn migration in South Caspian Region, 35–85.
- FERGUSON-LEES, I. J., *see* FRY, C. H.
- FIELD, G. D., Use of mangroves by birds in Sierra Leone, 354–7.
- Field recognition, 20, 29, 347–8, 530, 570.
- FISHER, J. M. M., Honours and Awards, 367.
- Fishing behaviour, 347, 570.
- Fledging period, 97, 163, 273, 570.
- Flight,
 aerobatics, 333, 348.
 backwards, 149.
 behaviour, 31, 149.
 \times migration, 291 *et seq.*
 roosting, 332.
 displacement, 297.
 display, 322.
 energy requirements, \times migration, 413.
 formations, 67.
 height, 512.
 \times migration, 303.
 hovering, 149.
 intention movements, 149.
 "ratio" , 412.
 sound of, 348.
- Flightlessness, temporary, \times moult, 5, 12.
- Flocks,
 behaviour, on threat of attack, 295.
 composition, sex, 21.
 duration, 146.
 formation of, \times migration, 291, 295.
 moult, 554.
 size, 18, 21–2, 170 *et seq.*, 357, 461 *et seq.*, 512.
- Food,
 carriage of, 150.
 grasping of, 150.
 in captivity, 145.
- Food begging, by young, brood parasites, 328.
- Food supply,
 \times breeding season, 343.
 success, 141.
 brood size, 427.
 clutch size, 272, 427.
 display, 336.
 growth rate, 423, 432.
 migration, season, 317.
 movements, 336, 362.
 population density, 336, 416.
 changes in, \times population changes of birds, 322.
- FORD, B., *see* ROTHSCHILD, M.
- FRANCE, migration on Var Coast, 411.
- FRY, C. H., ASH, J. S., and FERGUSON-LEES, I. J., Weights of migrants in Nigeria, 413.
- GASTON, A. J., Birds of Ala Daghi Mountains, Southern Turkey, 17–26.
- Genetics, \times migration, 410.
 subspeciation, 261.
- GHANA, *Picathartes gymnocephalus* in, 93–99.
- GIBRALTAR, autumn migration, 210–1.
- GINN, H. B., Annual differences in movements of partial migrants, 414.
- Glands, endocrine,
 thymus, changes, seasonal in, 203–5.
 excision of, effects, 205.
- GORE, M. E. J., Check-list of birds of Sabah, Borneo, 169–96.
- GRIMES, L., and DARKU, K., *Picathartes gymnocephalus* in West Africa, 93–99.
- Growth, *see* Young; development, physical.
- GURR, L., Communal roosting of Australasian Harriers in New Zealand, 332–37.

- Habitat,
changes in,
 × distribution, 24.
afforestation, 331.
agriculture, extension, 332.
deforestation, 239 *et seq.*, 569.
preference, 18 *et seq.*, 351.
 × water, 21.
studies,
 built-up areas, gardens, Singapore, 239–55.
 mangroves, Malaya, 348–52.
 Sierra Leone, 354–7.
- HAILMAN, J. P., Visual cliff responses of newly-hatched gulls, 197–200.
- HALL, B. P., Sequence of bird lists, 208–9.
- HARPER, P. C., *see* KINSKY, F. C.
- Hatching,
failure, causes, 280–1
interval, 277–9.
 × laying order, 277–8.
success, 279 *et seq.*
 × laying order, 277–8.
 factors affecting, 279 *et seq.*
- Head, carriage and movements, 103, 147 *et seq.*
scratching, 151.
- Hopping, 149.
- Hormones,
 × bill colour, 564.
 breeding, 204.
 fat, deposit, 413.
 migration, 413.
 moult, 204.
 song, 553, 556.
- HUBBARD, J. D., and SEYMOUR, C., III, Notable bird records from Egypt, 575–8.
- HUGHES, B. A., Grey-headed Gull on West Coast of South America, 357.
- Hybridization, 163.
 × evolution, 90–1.
- Incubation, behaviour, 569.
 by vegetational heat, 168.
- Incubation,
period, 97, 163, 276, 570.
 × clutch size, 277–8.
 factors affecting, 276–7.
 of brood parasites, 325.
 sparrows, 270 *et seq.*
 variation, seasonal, 277.
share of sexes, 570.
start, × clutch, state of, 277, 279, 347.
- INDIAN OCEAN, distribution of seabirds in, 493–519.
Rodriguez Island, birds of, 338–44.
storm-petrels in, 27–34.
- Institut "Echo", 416.
- International Council for Bird Preservation, 237.
- Ornithological Congress, XV, 591.
- IRAN, Migration in South Caspian Region, 35–86.
- IRWIN, M. P. S., *see* BENSON, C. W. *et al.*
- Isolation, auditory, × song development, 555.
 reproductive, 104.
- ISRAEL, migration at Elat, 283–320.
- KEITH, S., and TWOMEY, A., New distributional records of some East African birds, 537–48.
- KINSKY, F. C., and HARPER, P. C., Shrinkage of bill in skins of some *Pachyptila* species, 100–2.
- KRAMSHØJ, E., *Larus ridibundus* in Spitzbergen, 106.
- LACK, D., Sequence in European bird lists, 107–13.
- LATHBURY, G., Autumn migration of raptors at Gibraltar, 210–1.
- Laying, frequency, 131, 163, 274, 347.
order, × hatching interval, 277–8.
period, 360–1.
start, × nest-building, start, 569.
 factors affecting, 135 *et seq.*
time preference, 274.
- Learning, 104, 199.
- Legs and feet,
carriage and movements, 147 *et seq.*, 359.
colour, variation, geographical, 19.
- Light, natural,
 × breeding, start, 142.
 roosting, 335.
 song period, daily, 335.
- Lights, birds attracted to, 352, 495.
- LINE ISLANDS, new birds from 573–5.
- MACDONALD, J. D., Sequence of bird lists, 209–10.
- MALAYA, introduced species, 352, 360.
Penang Island, Serpent Eagles of, 569–71.
Singapore, origin of avifauna of, 239–55.
use of mangroves by birds, 348–52.
- MARSHALL, A. J., obituary, 206.
- MASCARENE ISLANDS, Rodriguez, birds of, 338–44.
- Mate, loss of, × desertion of nest, 279.
- MATTHEWS, G. V. T., Bird navigation, 411.
- MCNEIL, R., Testicular bilateral asymmetry in *Crotophaga major*, 87–9.
- MEAD, C. J., Autumn migration inland in North West Iberia, 411.
- Migrants,
behaviour, 288, 295, 463 *et seq.*
 × wind, 463.
 on arrival, 42.
 departure, 41, 53–4, 295.
composition, 11, 42, 295, 297.
 variation, seasonal, 297.
departure, age and sex order, 322.
flocks, formation, 291, 295.
 size, 8 *et seq.*, 42, 62 *et seq.*, 288 *et seq.*,
 461 *et seq.*, 523 *et seq.*
weight of, 352–4, 413.
- Migration,
 × adaptation, 410.
 ecology, 410.
 genetics, 410.
 geography, 410.
 hormones, 413.
 temperature, air, 13.
 thermals, 287 *et seq.*, 523.
 topography, 35 *et seq.*, 486.
 weather, 13, 452 *et seq.*, 521 *et seq.*
wind, 211, 410, 463 *et seq.*, 521 *et seq.*
- across desert, 283 *et seq.*, 311, 452 *et seq.*
sea, 36, 40 *et seq.*, 210–11, 283 *et seq.*,
 477.
- circulatory, 5.
- coasting, 40 *et seq.*
- defined, 256.
- departure, 41, 53–4.
 behaviour on, 41, 53–4, 295.
 time preference, 53 *et seq.*

- direction, 452 *et seq.*
 inherited, 412.
 dismigration, 256 *et seq.*
 defined, 258.
 displacement, 486.
 diurnal, 40 *et seq.*, 463.
 drift, 304, 486, 524.
 factors affecting, 287 *et seq.*
 flight, duration, 315.
 energy requirements, 413.
 function of, 42 *et seq.*
 guiding lines, 43–4, 57.
 hazards, predation, 468.
 height, 41, 47 *et seq.*, 465, 523.
 × thermals, 523.
 weather, 42.
 variation, seasonal, 315.
 in Caspian, South, 35–86.
 France, 411.
 Gibraltar, 210–11.
 Iran, 35–86.
 Israel, 283–320.
 Morocco, 452–92.
 Portugal, 235.
 Spain, 235, 411.
 Turkey, 520–36.
 loop migration, 314–7.
 nocturnal, 463.
 of gulls, 297.
 petrels, 31.
 raptors, 210–11, 291–4.
 seabirds, 414.
 storks, 301.
 physiology of, problems, 413.
 reversed, 466.
 routes, 31, 211, 291 *et seq.*, 504 *et seq.*
 change of, 524.
 variation, × populations, 43.
 seasonal, 287 *et seq.*
 season, 520 *et seq.*, 574–5.
 factors affecting, 317.
 variation, annual, 532.
 start of, × roosting behaviour, 335.
 theories of, 411.
 time preference, 523 *et seq.*
 timing of, 413.
 visible, factors affecting, 40 *et seq.*
 volume and spread, 42 *et seq.*, 210–11, 287
et seq., 462 *et seq.*, 523 *et seq.*
 alterations in, 83–4.
 variation, seasonal, 210, 291, 297.
Zugunruhe, factors affecting, 413.
 Mobbing, 329, 357.
 MOROCCO, South East, spring migration in, 452–92.
 Swifts in, 208.
 Mortality,
 causes, obstructions, striking, 352.
 on migration, 301, 304, 468.
 rate, × age, 234.
 development, physical, 444.
 of embryos, 281.
 Moult, 29.
 × breeding season, 361.
 hormones, 204.
 migration, 410, 524.
 movements, 512–3.
 season of, 5, 12, 77, 79, 141, 204, 361.
 topography of, 5, 12.
 Mouth, colour, × age, 98.
- Movements, 362, 462.
 × breeding success, 415.
 food supply, 336, 362.
 population density, 336.
 weather, 311.
 archaic, 25.
 assisted passage, 8.
 local, 410.
 seasonal, 5 *et seq.*, 20, 29, 31, 321, 410.
 variation, annual, 414.
 vertical, 410.
 daily, 22–5.
 seasonal, 20, 24.
 Muscles, flight, × migration, 413.
- Names, vernacular, 3, 339.
 Navigation, 411.
 bi-coordinate, 411–2.
 factors affecting, 411.
 grid-navigation, 411.
 inertial, 411.
 sun-navigation, hypotheses, 411.
 Nest building, 161.
 behaviour, ontogeny of, 162.
 outside breeding season, 360.
 share of sexes, 572.
 time taken, 569.
 Nests, communal, 168.
 described, 19, 569.
 Nesting colonies,
 arrangement of nests in, × breeding success, 234.
 density and size, 20, 94–7, 345.
 mixed, interspecific, 345–8.
 Nesting groups, 570.
 Nest materials, 161, 360.
 × display, 203.
 carriage of, 146, 161.
 special, green leaves, 569.
 theft of, 347.
 Nests, old, used again, 97.
 Nest relief, 347.
 sanitation, 99.
 Nest site, 360.
 inspection, outside breeding season, 360.
 selection, factors affecting, 572.
 in passerines, 571–3.
 share of sexes, 572.
 time taken, 572.
 Nests, size, 360.
 Nests used
 again, for replacement clutch, 570.
 subsequent clutch, 97, 131, 280.
 by other species, 570.
 two or more species together, 570.
 for roosting, 97.
 NEW ZEALAND, Communal roosting of Australasian Harriers in, 332–37.
 NIETHAMMER, G., Pneumatization of cranium as criterion of age, 106.
 NIGERIA, Expeditions to, 337.
 NISBET, I. C. T., Use of mangroves by Malayan birds, 348–52.
 Weights of birds in Malaya, 352–4.
 Non-breeding birds, 5, 6, 333, 337.
 NORFOLK, Earl of, *see* THORPE, W. H. *et al.*
 NORTH, M. E. W., obituary, 364.
 NOTTEBOHM, F., Auditory experience and song development in Chaffinch, 549–68.

- Obituaries,**
 MARSHALL, A. J., 205.
 NORTH, M. E. W., 364.
- Ocean currents,**
 × breeding season, 343.
 distribution, 6, 29, 496 *et seq.*
- Ocean temperature,**
 × distribution, 3, 5, 29, 496 *et seq.*
- Oiling of plumage,** 151.
- Oil pollution,** "Torrey Canyon", 238.
- Orientation,** × dispersal, 268.
 astronavigation, 411.
 re-orientation, 411–2.
 sun-compass, 411–2.
- PACIFIC OCEAN**, Phoenix and Line Islands, new records from, 573–5.
- Pair-bond,** maintenance, 158.
- Pair formation,** × age, 158.
 homosexual, 158.
- Pan-African Ornithological Congress,** III, 238, 591.
- Pecking responses,** 200.
- Perch,** perching, 350.
 behaviour, 570.
- PERRINS, C.**, Purpose of high-intensity alarm calls, 200.
- PERU**, Grey-headed Gull in, 357.
- PHOENIX ISLANDS**, new records from, 573–5.
- Physiology,** × migration, 413.
- PITMAN, C. R. S.**, Honours and Awards, 367.
- Plankton,** distribution of,
 × distribution of birds, 29, 496 *et seq.*
- Plumage,** change, × age, 157.
 fluffing, 102, 147 *et seq.*, 202.
- Pneumatization** of cranium, as criterion of age, 106.
- POCKLINGTON, R.**, *see* BAILEY, R. S.
- POH, G. E.**, *see* WARD, P.
- POKROVSKAYA, I. V.**, Nest site selection in passerines, 571–3.
- Population,**
 changes, 415.
 × introduction of mammals, 332.
 factors affecting, 332.
 local, 129, 170 *et seq.*, 242 *et seq.*.
 factors affecting, 130 *et seq.*, 330.
 seasonal, 411.
- control,** × roosting behaviour, 336.
- density,**
 × population density of mammals, 336.
 factors affecting, 336, 410.
 of Serpent Eagles, Malaya, 569.
- local**, changes in, 533.
- PORTER, R.**, and **WILLIS, I.**, Autumn migration of soaring birds at Bosphorus, 520–36.
- PORTUGAL**, Expeditions to, 235.
- Predation,**
 × growth rate, 443–4.
 as migration hazard, 468.
 on birds by
 birds, interspecific, 8, 12, 13, 346–7, 468, 570.
 fishes, 346.
 mammals, 280, 570.
 man, 171, 332.
 reptiles, 97.
- Predator-reaction,** × roosting behaviour, 336.
- warning, vocal, 200.
- Preening,** 332–3.
 × bathing, 148.
 defaecation, 148.
 mutual, 158.
- Prey,** aposematic, reaction to, 104.
 density of, × movements, 336.
 roosting behaviour, 336.
- Proteins,** × migration, 410, 413.
- Rain,** × breeding, start, 139.
 laying, start, 142.
- Range,** alterations in, 90–1, 248 *et seq.*, 578.
- Recognition,**
 interspecific,
 of foster parent by brood parasite, 328.
 intraspecific,
 of parents by young, 98.
- REED, R. A.**, Studies of Diederik Cuckoo in Transvaal, 321–31.
- Relicts,** 25.
- Resting,** 147, 467.
- Rhythm,**
 annual, 2, 5, 9 *et seq.*, 29, 253 *et seq.*, 321, 324, 357, 359–63.
 daily, 22–4, 232 *et seq.*.
 factors affecting, 22–4.
 internal,
 × migration, 413.
 factors affecting, 411.
- RICKLEFS, R. E.**, Patterns of growth of birds, 419–51.
- Ringing recoveries, 412, 415, 484, 490–2.
- RODRIGUEZ ISLAND**, birds of, 338–44.
- Roosts,** roosting, 19, 21–2, 24, 42, 350.
 abandonment of, factors affecting, 336.
 behaviour, 322.
 × display, epideictic, 336.
 light, natural, intensity, 335.
 migration, 42, 288, 466, 525.
 start, 335.
 population control, 336.
 predator-reaction, 336.
- communal,**
 composition, 333.
 × subspecies, 83.
 of Australasian Harrier in New Zealand, 332–37.
- movements,** 332–3.
- site,** 332.
 × feeding grounds, 333.
 size, 21–2, 43, 83, 85, 334.
 time preference, 23.
- ROTHSCHILD, M.**, and **FORD, B.**, Warning signals from Starling observing bird rejecting unpalatable prey, 104.
- Roughage,** 28.
- SAFRIEL, U.**, Bird migration at Elat, Israel, 283–320.
- SAGE, B. L.**, Ornithological transects in North Atlantic, 1–16.
- SCHAEFER, G. W.**, Energy requirements of migratory flight, 413.
- SCOTT, P.**, *see* THORPE, W. H. *et al.*
- Scratching,** 151.
- SEEL, D. C.**, Breeding seasons of sparrows, 129–44.
- Clutch size, incubation and hatching success in sparrows, 270–83.

- Selection**
 natural, 149, 201.
 × migration, 412.
 pressures, 443.
- SEYCHELLES ISLANDS**, purchase of as Bird Sanctuary, 237.
- SEYMOUR, C. III**, *see HUBBARD, J. D.*
- Shade**, 475.
 × rhythm, daily, 22–4.
- SIERRA LEONE**, use of mangroves by birds, 354–7.
- SINGAPORE**, avifauna of, origin of, 239–55.
- Size of birds**,
 × feeding ecology, 443.
 feeding, time spent on, 234.
 growth rate, 437, 443.
- Sleeping**, 147.
 pseudo-sleeping, 157.
- SMITH, K. D.**, On *Motacilla alba subpersonata*, 90–1.
- Swifts** in Spain and Morocco, 208.
- Spring migration through South East Morocco**, 452–92.
- Song**,
 × castration, 553.
 hormones, 553.
 analysed, 552.
 "auditory template", 564–7.
 described, 19.
 development of, in Chaffinch, 549–68.
 duration, 550 *et seq.*
 female, 564
 frequency, 553.
 output, factors affecting, 24.
 perch, 19.
 × nest site, 19.
 period, annual, 78 *et seq.*
 daily, 24.
 × light, natural, 335.
 plastic, 550, 554.
- Sound(s)**, mechanical, 104.
 recordings, 416.
 spectrograms, 98, 552 *et seq.*
 white noise, 549, 563.
- SOUTH AFRICA**, Transvaal, Studies of Diederik Cuckoos, 321–31.
- SOUTH WEST CAPE**, origin of avifauna of, 91–3.
- Spacing**, defined, 256.
- SPAIN**, Expeditions to, 235.
 migration in, 411.
 swifts in, 106, 208.
- SPENCER, R.**, Ringing recoveries of Meadow Pipits, 415.
- SPITZBERGEN**, *Larus ridibundus* in, 106.
- STERNBERG, H.**, *see BERNDT, T.*
- STEYN, P.**, *see BENSON, C. W. et al.*
- Storms**, × movements, 485.
- STRANGE, I. A.**, Breeding colony of *Pachyptila turtur* in Falkland Islands, 358–9.
- Stretching**, 151.
- STRONACH, B. W. H.**, The Chagana heronry in Western Tanzania, 345–6.
- Subsong**, 554 *et seq.*
 × food begging, 554.
 moult, 554.
 in winter, 554.
 period, annual, 554.
- Subspeciation**, 261.
- Subspecies**, evolution of, 26.
 new, described, 538 *et seq.*
- Sunlight, sunshine**,
 × breeding, start, 139.
 laying, start, 142.
 rhythm, daily, 22–4.
 young, development of, physical, 234.
- Survival**, factors affecting, 197–201.
 rate, × growth rate, 444.
- SWEDEN**, Eagle Owls in, 128.
- Systematics**,
 sequence in bird lists, 107–13, 208–10, 368–9.
- Tail**, carriage and movements of, 103, 322.
 size, 359.
- Tameness**, 342.
- TANZANIA**, Western, Chagana heronry, 345–8.
- Taxonomy**,
 characters in,
 bathing, 148.
 display, 152.
 sequence of bird lists in, 107–113, 208–10, 368–9.
- Temperature**,
 air, × breeding, start, 139, 142.
 distribution, 141.
 laying, start, 140, 142.
 migration, 41 *et seq.*
 mortality, 468.
 rhythm, daily, 22–4.
 sea, × distribution, 3, 5, 29, 496 *et seq.*
- Tenacity to**
 birth place, 256 *et seq.*
 breeding grounds, 256 *et seq.*
 migration period, 290.
 nest, 97.
 close sitting, 569.
 site, 256 *et seq.*
 × age, 335.
 duration, 94.
- Territory**,
 establishment of, 322.
 size, 19, 322–3.
- Thermals**, × migration, 287 *et seq.*, 523.
- THOMSON, Sir A. L.**, Ecological and geographical aspects of migration, 410.
- THORPE, W. H.**, Honours and Awards, 366.
 Experiments on the effect of water deprivation, 580.
- THORPE, W. H. et al.**, Experiments on the effect of water deprivation, 207.
- Tolerance**, interspecific, 329.
- Transects**, North Atlantic, 1–16.
- Traps**, vegetational, 346.
- TURKEY**, Bosphorus, autumn migration of soaring birds, 520–36.
- Ornithological Society**, formation of, 416.
- South, Ala Daghi Mountains**, birds of, 17–26.
- TWOMEY, A.**, *see KEITH, S.*
- Vegetation**,
 distribution, × distribution of birds, 25.
- Voice**,
 × predator-reaction, 200.
 territory, 322.
 calling period, annual, 321–2.
 of brood parasite × voice of host, 329.
 ventriloquism, 201.
 vocabulary, 99, 153 *et seq.*, 321, 570.

- Waking behaviour, 149.
- WARD, P., Origin of avifauna of Singapore, 239-55.
- WARD, P. and D'CRUZ, D., Seasonal changes in thymus gland of tropical birds, 203-5.
- WARD, P., and POH, G. E., Seasonal breeding in an equatorial population of sparrows, 359-63.
- Water, deprivation of, experiments on, 207, 579-80.
 distribution, \times distribution of birds, 24.
 supply, \times habitat preference, 24.
- Watering of young, 347.
- Weather,
 \times breeding, start, 139.
 migration, 41 *et seq.*, 452 *et seq.*, 521 *et seq.*, movements, 311.
- Weight of birds, 80, 81, 352-4, 576.
 \times breeding cycle, 141.
 migration, 352-4, 413.
 weight of clutch, 271.
 changes in, patterns of, 419-51.
 of young, \times weight of parents, 271, 439.
 variation, geographical, 462.
 seasonal, 362.
- WILLIS, I., *see* PORTER, R.
- WILLIS, P. R., *see* BAILEY, R. S.
- Wind, \times distribution, 343, 496.
 migration, 211, 287 *et seq.*, 343, 452 *et seq.*, 521 *et seq.*
 young, development of, physical, 234.
- prevailing, \times migration, 410.
 speed, \times distribution, 502.
- Wings, carriage and movements, 103, 147 *et seq.*, 322, 328.
 size, 359.
- WINTERBOTTOM, J. M., Origin of avifauna of South West Cape, 91-3.
- Winter quarters, \times breeding grounds, 410.
- YEATMAN, L. J., Migration on the Var Coast, France, 411.
- Young,
 care of, by foster parents, 327.
 dead, disposal of, by parents, 271.
 development of, physical,
 factors affecting, 234.
 growth patterns, 419-51.
 rate \times body size, 437.
 energy requirements, 444.
 feeding behaviour, 434.
 factors affecting, 436 *et seq.*
 measurement techniques, 421.
 variation, intraspecific, 427 *et seq.*
 intersexual, 432.
 weight, \times weight of parents, 271.
- Zoo-geography, Turkey, 25.
- Zugunruhe, \times fat deposit, 413.

INDEX OF SCIENTIFIC NAMES

Each name is indexed under its genus and its species and, where trinominal, also under its subspecies.

Names appearing in black Clarendon type are of newly described species or subspecies.

- aalge**, *Uria*, 11
- abbotti**, *Malacocincla*, 245.
- , *Trichastoma*, 189.
- abdimii**, *Sphenorhynchus*, 410.
- abnormis**, *Sasia*, 184.
- Acanthis cannabina*, 21, 477.
- *flammea*, 426.
- accentor*, *Bradypterus*, 192.
- Accipiter badius*, 65, 249.
- *brevipes*, 65, 289, 532.
- *cooperi*, 424.
- *gularis*, 172.
- *nissus*, 65, 211, 289, 460, 532, 572.
- *soloensis*, 172.
- *trivirgatus*, 172.
- *virgatus*, 172, 252, 350.
- Aceros leucocephalus*, 183, 351.
- *plicatus*, 349, 351.
- *undulatus*, 183, 351, 616.
- Achaetops pycnopygius*, 92.
- Acridotheres*, 343.
- *fuscus*, 246, 350.
- *tristis*, 246.
- Acrocephalus agricola*, 81.
- *arundineus*, 60, 80, 193, 245, 312, 460.
- *paludicola*, 460.
- *palustris*, 81.
- *schoenobaenus*, 312, 459.
- *scirpaceus*, 60, 80, 235, 312, 459.
- acuminata*, *Calidris*, 176.
- , *Erolia*, 574.
- acuta*, *Anas*, 64, 306, 476, 573.
- acuticaudus*, *Apus*, 110.
- adelberti*, *Nectarinia*, 209.
- adeliae*, *Pygoscelis*, 450.
- adspersus*, *Francolinus*, 92.
- aedon*, *Troglodytes*, 143, 425.
- Aegithalos caudatus*, 79.
- Aegithina tiphia*, 189, 245, 350.
- *viridissima*, 189.
- Aegypius monachus*, 22, 289, 525.
- aegyptius*, *Caprimulgus*, 60, 76, 460.
- aenea*, *Ducula*, 177, 349.
- aeneus*, *Dicrurus*, 186.
- aequatorialis*, *Apus*, 110.
- aeruginosus*, *Circus*, 66, 173, 289, 333, 354, 460, 533.
- aestiva*, *Dendroica*, 426.
- aethereus*, *Phaethon*, 424, 508.
- aethiopicus*, *Threskiornis*, 347, 349.
- Aethopyga mystacalis*, 195.
- *siparaja*, 195, 349.
- affine*, *Malacopteron*, 189.
- affinis*, *Apus*, 106, 110, 181, 208, 212, 243, 350, 460.
- , *Arachnothera*, 196.
- affinis*, *Batrachostomus*, 180.
- , *Caprimulgus*, 180
- africana*, *Nectarinia*, 209.
- africanus*, *Bubo*, 539.
- , *Hieraaetus*, 537.
- , *Phalacrocorax*, 348.
- Agapornis cana*, 146.
- *fischeri*, 150.
- *personata*, 146.
- *pullaria*, 146.
- *roseicollis*, 146.
- *taranta*, 146.
- Agelaius phoeniceus*, 426
- agile*, *Dicaeum*, 195.
- agricola*, *Acrocephalus*, 81.
- Aix*, 111.
- Alauda arvensis*, 18, 185, 335.
- alba*, *Calidris*, 176.
- , *Crocethia*, 50, 55, 72, 575.
- , *Egretta*, 63, 170, 300, 349.
- , *Gygis*, 340, 513.
- , *Motacilla*, 8, 12, 18, 83, 90, 194, 312, 459, 462.
- , *Platalea*, 348.
- , *Tyto*, 249, 425.
- albellus*, *Mergus*, 306.
- albicapillus*, *Spreo*, 547.
- albiceps*, *Psalidoprocne*, 545.
- albicilla*, *Haliaetus*, 66.
- albicollis*, *Ficedula*, 313, 460.
- , *Muscicapa*, 82.
- , *Rhipidura*, 191.
- albifrons*, *Sterna*, 40, 41, 74, 177, 296, 513.
- albibriata*, *Sylvia C.*, 576.
- albogularis*, *Serinus*, 92.
- alboniger*, *Spizaetus*, 172.
- albus*, *Casmerodius*, 347 (Plate 3).
- Alcedo atthis*, 76, 182, 309, 349.
- *euryzona*, 182.
- *meninting*, 182.
- alcinus*, *Machaeramphus*, 172.
- Alcippe brunneicauda*, 190.
- Alectoris chukar*, 22.
- *graeca*, 67.
- Alectroenas rodericana*, 343.
- alexandrinus*, *Charadrius*, 50, 55, 68, 174, 308, 469.
- aliena*, *Rhodopechys s.*, 26.
- alinae*, *Nectarinia*, 209.
- alleni*, *Porphyrio*, 342.
- Alopochen*, 111.
- alpestris*, *Eremophila*, 18, 25, 78, 425.
- alpina*, *Calidris*, 50, 55, 71, 308, 478, 483.
- althaea*, *Sylvia*, 81.
- alumi*, *Francolinus h.*, 538.
- aluco*, *Strix*, 76.
- amabilis*, *Loriculus*, 147, 154, 158.
- amauroptera*, *Pelargopsis*, 349.
- Amaurornis phoenicurus*, 174, 242.
- Amazilia*, 438.
- *fimbriata*, 425, 448.
- *tobaci*, 425, 449.
- Amazonetta*, 111.
- ambiguus*, *Parus m.*, 570.
- americana*, *Grus*, 410.
- , *Mycteria*, 424.
- amethystina*, *Nectarinia*, 209, 328.
- amicorum*, *Turdus t.*, 20.
- amicta*, *Nyctiornis*, 182.
- Ammospiza caudacuta*, 426, 451.
- *maritima*, 426, 451.
- anaethetus*, *Sterna*, 177, 509.
- Anas acuta*, 64, 306, 476, 573.
- *angustirostris*, 111, 460, 461.
- *clypeata*, 306, 476.
- *crecca*, 64, 306.
- *leucophrys*, 111.
- *penelope*, 64, 171, 306.
- *platyrhynchos*, 64, 171, 203, 306.
- *querquedula*, 40, 47, 64, 171, 306, 343, 344, 476.
- *strepera*, 64.
- Anastomus lamelligerus*, 348.
- andrewsi*, *Fregata*, 170.
- angustirostris*, *Anas*, 111, 460, 461.
- Anhinga anhinga*, 170.
- *rufa*, 348.
- ani*, *Crotophaga*, 87.
- annectans*, *Dicrurus*, 186, 350.
- Anorrhinus galeritus*, 183.
- Anous minutus*, 177.
- *stolidus*, 177, 340, 513, 518.
- *tenuirostris*, 340, 509, 517.
- Anser*, 306.
- *rossii*, 410.
- antelius*, *Larus f.*, 73.
- Anthracoceros coronatus*, 183
- *malayanus*, 183.
- Anthreptes gabonica*, 356.
- *malaccensis*, 195, 246, 350.
- *rhodalaema*, 195.
- *simplex*, 195,
- *singalensis*, 195.
- Anthus campestris*, 47, 82, 312, 458.
- *cervinus*, 194, 312, 460.
- *gustavi*, 194.
- *hodgsoni*, 194.
- *novaeseelandiae*, 194, 246.

- Anthus pratensis*, 12, 82.
— spinoletta, 18, 25, 312, 469.
— trivialis, 47, 82, 458, 555.
apiaster, *Merops*, 40, 41, 46, 76, 236, 309, 458.
apivorus, *Pernis*, 66, 210, 289, 460, 533.
Aplonis panayensis, 186, 246, 350.
approximans, *Circus*, 332–337.
apricarius, *Charadrius*, 68.
Apus acuticaudus, 110.
— aequatorialis, 110.
— affinis, 106, 110, 181, 208, 212, 243, 350, 460.
— apus, 22, 40, 41, 46, 76, 110, 141, 143, 208, 309, 425, 449, 458.
— barbatus, 110.
— caffer, 106, 110, 208, 212.
— horus, 110.
— melba, 22, 46, 76, 110, 309, 460.
— myoptilus, 110.
— pacificus, 110, 350.
— pallidus, 110, 208, 460.
— toulsoni, 110.
— unicolor, 110, 208.
aquatica, *Muscicapa*, 542.
aquaticus, *Rallus*, 306, 460.
Aquila chrysaetos, 21, 424, 530.
— clanga, 47, 65, 289, 530.
— heliaca, 525.
— pomarina, 65, 289, 530.
rapax, 65, 530.
wahlbergi, 441.
Aquila Fregata, 424, 450.
Arachnothera affinis, 196.
— chrysogenys, 196.
— crassirostris, 195.
— flavigaster, 195.
— juliae, 196.
— longirostris, 195.
— robusta, 195.
aralensis, *Motacilla f.*, 83.
Aratinga canicularis, 153.
arborea, *Lullula*, 77, 236.
Arborophila charltoni, 173.
— hyperythra, 173.
archipelagus, *Indicator*, 184, 616.
arctica, *Fratercula*, 12.
arcuata, *Pitta*, 185.
Ardea cinerea, 62, 170, 300, 346, 349, 424, 450, 460.
— goliath, 346, 347.
— melanocephala, 346.
— purpurea, 63, 170, 300, 346, 349, 460.
— sumatrana, 170, 349.
Ardeirallus sturmii, 346.
Ardeola bacchus, 171, 350.
— ibis, 63.
— ralloides, 63, 300, 347.
— speciosa, 171.
ardesiaca, *Melaenornis*, 543, 548.
— Melanophoyx, 347.
Arenaria interpres, 50, 69, 175, 308, 574.
arenicola, *Streptopelia t.*, 475.
argentatus, *Larus*, 10, 73, 197, 295, 441, 448.
argus, *Argusianus*, 174.
Argusianus argus, 174.
ariel, *Fregata*, 170, 339, 509.
aristotelis, *Phalacrocorax*, 424, 450.
armenjoniana, *Pterodroma*, 341, 505.
arnaudi, *Pseudonigrita*, 546.
arquata, *Numenius*, 50, 55, 69, 175, 308, 483.
Artamus leucorhynchus, 186.
arundinaceus, *Acrocephalus*, 60, 80, 193, 245, 312, 460.
— Ploceus v., 331.
arvensis, *Alauda*, 18, 185.
asiatica, *Sitta e.*, 262.
— Zenaida, 207.
asiaticus, *Charadrius*, 174.
Asio capensis, 90.
— flammeus, 309.
asio, *Otus*, 425.
ater, *Molothrus*, 426, 616.
— Parus, 78.
aterrima, *Pterodroma*, 341, 505, 517.
aterrimus, *Puffinus*, 340.
Athene noctua, 76.
atra, *Fulica*, 174, 306.
atricapilla, *Sylvia*, 81, 312, 459.
— Zosterops, 194.
atricapillus, *Parus*, 425.
atricaudatus, *Myioibius*, 425.
atriceps, *Pycnonotus*, 188, 350.
atricilla, *Larus*, 197.
atrigularis, *Napothera*, 190.
atrocaudata, *Terpsiphone*, 349.
atrogularis, *Orthotomus*, 193, 245, 250, 350.
atthis, *Alcedo*, 76, 182, 309, 349.
audouini, *Larus*, 299.
aurantius, *Chaetops*, 92.
aureiventer, *Zosterops p.*, 351.
aureola, *Emberiza*, 60, 85.
auriculata, *Zenaida*, 102.
aurigaster, *Pycnonotus*, 249.
aurita, *Sporophila*, 426.
auritus, *Batrachostomus*, 180.
— Phalacrocorax, 424.
auropillus, *Seiurus*, 426.
australis, *Megalaima*, 183.
— Tchagra, 545.
Aviceda jerdoni, 172.
avosetta, *Recurvirostra*, 50, 55, 72, 308, 482, 483, 489.
ayresi, *Hieraëetus*, 441.
Aythya, 111.
— ferina, 64, 306, 478.
— fuligula, 64, 171, 306.
— nyroca, 64.
azurea, *Hypothymis*, 192.
bacchus, *Ardeola*, 171, 350.
bactrianus, *Passer d.*, 85.
badia, *Ducula*, 178, 349.
badius, *Accipiter*, 65, 249.
— Lanius s., 459.
— Phodilus, 180.
bakkamoena, *Otus*, 180, 243.
balearicus, *Parus c.*, 262.
balfouri, *Nectarinia*, 209.
bannermanni, *Nectarinia*, 209.
banyumas, *Muscicapa*, 191.
barau, *Pterodroma*, 341, 505, 518.
barbarus, *Laniarius*, 356.
barbatus, *Apus*, 110.
— Gypaetus, 21, 65.
— Pycnonotus, 578.
bassana, *Sula*, 8, 424, 449.
batesi, *Nectarinia*, 209.
Batrachostomus affinis, 180.
— auritus, 180.
— javensis, 180.
— poliocephalus, 180.
— stellatus, 180.
baudi, *Pitta*, 185.
baueri, *Limosa l.*, 575.
Bebrornis rodericana, 342.
beema, *Motacilla f.*, 83.
belcheri, *Pachyptila*, 100, 359.
— Turdus f., 543, 547.
bengalensis, *Centropus*, 179, 243.
— Pseudogyps, 253.
— Sterna, 177.
bengalus, *Uraeginthus*, 356.
Berenicornis comatus, 183.
bergii, *Sterna*, 177.
— Thalasseus, 340, 513.
beryllinus, *Loriculus*, 149, 157.
biarmicus, *Falco*, 289, 534.
bicalcaratus, *Francolinus*, 90.
bicolor, *Ducula*, 178, 349.
— Iridoprocne, 425.
— Testudophaga, 342.
— Trichastoma, 189.
bidentatus, *Pogonornis*, 354.
bifasciata, *Nectarinia*, 209.
bitorquata, *Streptopelia*, 178.
Biziura, 111.
blanfordi, *Pycnonotus*, 249.
Blythipicus rubiginosus, 184.
bocagei, *Nectarinia*, 209.
Bolborhynchus lineola, 147, 164.
Bombycilla cedrorum, 420, 426.
Bonasa umbellus, 424.
bonelli, *Phylloscopus*, 459.
borealis, *Phylloscopus*, 193, 245, 353.
borin, *Sylvia*, 60, 81, 235, 312, 459.
Botaurus stellaris, 171, 300.
bouvieri, *Nectarinia*, 209.
Brachypteryx, 109.
— montana, 193.
brachyrhynchos, *Corvus*, 425.
brachyura, *Chaetura*, 425.
— Pitta, 185, 349, 351, 353.

brachyurus, *Micropternus*, 184.
Bradypterus accentor, 192.
 — *sylvaticus*, 92.
 — *victorini*, 91.
bres, *Criniger*, 188.
brevipes, *Accipiter*, 65, 289, 532.
brevirostris, *Collocalia*, 350.
brodiei, *Glaucidium*, 180.
brunneicapillus, *Campylo-*
rhynchos, 425.
brunneicauda, *Alcippe*, 190.
brunneus, *Pycnonotus*, 188.
Bubo africanus tanae subsp.
 nov., 539.
Bubo ketupu, 180, 350.
 — *sumatrana*, 180.
 — *virginianus*, 425, 449.
Bubulcus ibis, 170, 300, 347, 573.
Bucephala, 111.
Buceros rhinoceros, 183.
bulweri, *Lophura*, 173.
Bulweria bulwerii, 27, 34.
 — *fallax*, 27, 34, 317, 505.
bulwerii, *Bulweria*, 27, 34.
Burhinus oedicnemus, 73.
 — *senegalensis*, 355.
burtoni, *Serinus*, 92.
Butastur indicus, 172.
Buteo buteo, 65, 211, 289, 532.
 — *ferox*, 22.
 — *jamaicensis*, 424.
 — *rufinus*, 65, 290, 480, 532.
Butorides javanicus, 342.
 — *rutenbergi*, 342.
 — *striatus*, 171, 342, 349.
 — *virescens*, 424.
Bycanistes fistulator, 356.

Cacatua, 253.
cacchianus, *Larus a.*, 73.
Cacomantis merulinus, 179.
 — *sonnerati*, 179.
 — *variolorus*, 179, 350.
caeruleata, *Muscicapa*, 191.
caerulea, *Pitta*, 185.
caerulescens, *Microhierax*, 173.
caeruleus, *Elanus*, 172.
 —, *Parus*, 78, 236, 260, 262, 414, 425.
caesia, *Emberiza*, 313.
 —, *Sitta e.*, 262.
cafer, *Colaptes*, 87.
 —, *Promerops*, 91.
 —, *Pycnonotus*, 249.
caffier, *Apus*, 106, 110, 208, 212.
Cairina hartlaubi, 111.
calandra, *Emberiza*, 85, 236, 313.
 —, *Melanocorypha*, 77.
Calandrella cinerea, 47, 77, 317, 458.
 — *rufescens*, 77.

Calcarius lapponicus, 13, 426, 449.
caledonicus, *Nycticorax*, 171.
Calidris acuminata, 176.
 — *alba*, 176.
 — *alpina*, 50, 55, 71, 308, 478, 483.
 — *canutus*, 50, 71, 176, 476, 483.
 — *ferrugineus*, 176, 308, 460.
 — *minuta*, 50, 55, 71, 308, 460.
 — *minutilla*, 176.
 — *ruficollis*, 176.
 — *temminckii*, 50, 55, 71, 176, 308.
 — *tenuirostris*, 71, 176.
 — *testacea*, 50, 55, 72.
californicus, *Lophortyx*, 424.
Callonetta, 111.
Caloenas nicobarica, 178.
Calorhamphus fuliginosus, 183.
Calyptomena hosei, 185.
 — *viridis*, 185.
 — *whiteheadi*, 185.
campestris, *Anthus*, 47, 82, 312, 458.
Camptorhynchus, 111.
Campylorhynchus brunnei-
capillus, 425.
cana, *Agapornis*, 146.
canadensis, *Sakesphorus*, 425.
candida, *Mirafra*, 541, 547.
canicapillus, *Dendrocopos*, 184, 244, 350.
canicularis, *Aratinga*, 153.
cannabina, *Acanthis*, 21, 477.
 —, *Carduelis*, 47, 84.
canorus, *Cuculus*, 22, 60, 75, 309, 460.
cantillans, *Sylvia*, 235, 312, 459, 462, 475, 576.
canus, *Larus*, 296.
canutus, *Calidris*, 50, 71, 176, 476, 483.
Capella gallinago, 176.
 — *megalae*, 175.
 — *stenura*, 175.
capellei, *Treron*, 177.
capensis, *Asio*, 90.
 —, *Francolinus*, 91.
 —, *Pelargopsis*, 182, 349.
capistratum, *Pellorneum*, 189.
Caprimulgus aegyptius, 60, 76, 460.
 — *affinis*, 180.
 — *concretus*, 180.
 — *eruopaeus*, 22, 60, 76, 309.
 — *indicus*, 180.
 — *macrurus*, 180, 243, 350.
 — *ruficollis*, 460.
caprius, *Chrysococcyx*, 321–331.
carbo, *Phalacrocorax*, 62, 170, 410.
cardinalis, *Richmondena*, 426.
Carduelis cannabina, 47, 84.
 — *carduelis*, 47, 84, 318, 477, 577.
 — *chloris*, 313, 477, 577.
 — *citrinella*, 25.
 — *spinus*, 313, 577.
carneipes, *Puffinus*, 341, 504, 518.
Carpococcyx radiceus, 179.
Carpodacus erythrinus, 60, 85, 577.
 — *mexicanus*, 426.
 — *rubicilla*, 25.
Casmerodius albus, 347 (Plate 3).
caspia, *Hydroprogne*, 74.
caspica, *Motacilla*, 194.
casius, *Tetraogallus*, 22, 25.
castaniceps, *Minla*, 190.
castro, *Oceanodroma*, 424, 447.
Catharacta skua, 424, 509.
Catharus, 109.
caucasica, *Sitta e.*, 262.
caucasicus, *Tetraogallus*, 25.
caudacula, *Ammospiza*, 426, 451.
caudatus, *Aegithalos*, 79.
cedrorum, *Bombycilla*, 420, 426.
celebicum, *Dicaeum*, 195.
Centropus bengalensis, 179, 243.
 — *grillii*, 87.
 — *monachus*, 87, 616.
 — *rectunguis*, 179.
 — *senegalensis*, 87.
 — *sinensis*, 87, 179.
 — *toulou*, 87.
Cephus grylle, 424.
Ceratogymna elata, 356.
Cercomelas, 109.
Cercotrichas, 109.
 — *galactotes*, 313, 459.
Cereopsis, 111.
Cerorhinca monocerata, 424.
certhiola, *Locustella*, 192, 353.
cervinus, *Anthus*, 194, 312, 460.
cetti, *Cettia*, 460.
Cettia cetti, 460.
 — *fortipes*, 192.
 — *whiteheadi*, 192.
ceylonensis, *Culicicapa*, 191.
Ceyx erithacus, 182, 350.
 — *rufidorsus*, 350.
Chaetops aurantius, 92.
 — *frenatus*, 91.
Chaetura brachyura, 425.
 — *gigantea*, 181.
 — *leucopygialis*, 181.
 — *pelagica*, 425.
 — *vauxi*, 425.
Chaimarrhornis, 109.
Chalcites malayanus, 179.
 — *xanthorhynchus*, 179.
Chalcomitra, 208.
Chalcophaps indica, 178.
chalcostetha, *Nectarinia*, 195, 349.
chalybea, *Nectarinia*, 209.

- Charadrius alexandrinus, 50, 55, 68, 174, 308, 469.
 — apicarius, 68.
 — asiaticus, 174.
 — dubius, 50, 55, 68, 174, 308, 458.
 — hiaticula, 50, 55, 68, 308, 478.
 — leschenaulti, 50, 69, 174, 308.
 — mongolus, 69, 174, 308, 349.
 — peroni, 174.
 — semipalatinatus, 574.
 — squatarola, 50, 55, 68, 355.
charlottae, *Microscelis*, 189.
charltoni, *Aborophila*, 173.
chaseni, *Batrachostomus* j., 180.
cheela, *Spilornis*, 173, 350, 569.
Chenonetta, 111.
cherrug, *Falco*, 47, 67, 534.
Chettusia leucura, 50, 68.
chinensis, *Coturnix*, 173.
 —, *Kitta*, 187.
 —, *Oriolus*, 186, 244, 350.
 —, *Streptopelia*, 178, 243, 362.
Chlamydochaera jeffreyi, 187.
Chlamydots undulata, 68.
Chlidonias, 483.
 —, *hybrida*, 74, 176, 296, 478.
 —, *leucoptera*, 74, 176, 296, 483.
 —, *niger*, 74, 296.
 —, *nigra*, 476.
Chloephaga, 111.
Chloris, *chloris*, 84.
chloris, *Carduelis*, 313, 477, 577.
 —, *Halcyon*, 182, 243, 254, 349.
Chlorocharis emiliae, 194.
chlorophaeus, *Phaenico-phaeus*, 179.
Chloropsis cochinchinensis, 189.
 —, *cyanopogon*, 189.
 —, *sonnerati*, 189, 350.
chloropus, *Gallinula*, 480, 483.
chloropygia, *Nectarinia*, 209.
chrysaetos, *Aquila*, 21, 424, 530.
Chrysococcyx caprius, 321–331.
Chrysocolaptes lucidus, 184, 349.
 —, *validus*, 184, 351.
chrysocome, *Eudyptes*, 424, 450.
chrysogenys, *Arachnothera*, 196.
chrysopogon, *Megalaima*, 183.
chrysorrheum, *Dicaeum*, 195.
chukar, *Alectoris*, 22.
cia, *Emberiza*, 21, 85.
- Ciconia ciconia*, 299, 300, 410, 460, 524.
 —, *episcopus*, 171.
 —, *nigra*, 63, 300, 525.
 —, *stormii*, 171.
Cinclus cinclus, 19, 79.
cinerascens, *Bubo* a., 539.
cineræa, *Ardea*, 62, 170, 300, 346, 349, 424, 450, 460.
 —, *Calandrella*, 47, 77, 317, 458.
 —, *Gallicrex*, 174, 350.
 —, *Motacilla*, 47, 83, 194, 312.
 —, *Pachycephala*, 192, 349.
cinereocapilla, *Motacilla* f., 458.
cinereum, *Malacocteron*, 189.
cinereus, *Ibis*, 349.
 —, *Poliolimnas*, 174.
 —, *Xenus*, 50, 71.
cinnamomeus, *Ixbrychus*, 171.
Cinnyris coccinigaster, 355.
Circaetus gallicus, 66, 211, 289, 458, 534.
Circus, 47, 210.
 —, *aeruginosus*, 66, 173, 289, 333, 354, 460, 538.
 —, *approximans*, 332–337.
 —, *cyanus*, 66, 173, 289, 335, 483, 534.
 —, *hudsonius*, 336.
 —, *macrourus*, 66, 335, 533.
 —, *melanoleucus*, 173.
 —, *pygargus*, 66, 335, 460, 534.
cirrhatus, *Spizaetus*, 172.
cirrocephalus, *Larus*, 357.
cisalpina, *Sitta* e., 262.
Cisticola juncidis, 211, 576.
citreola, *Motacilla*, 83.
citrina, *Zoothera*, 194.
citrinella, *Carduelis*, 25.
 —, *Emberiza*, 414.
Clamator coromandus, 179, 350.
 —, *glandarius*, 309, 460.
clanga, *Aquila*, 47, 65, 289, 530.
Clangula, 111.
clypeata, *Anas*, 306, 476.
 —, *Spatula*, 64.
coccinigaster, *Cinnyris*, 355.
 —, *Nectarinia*, 209.
cochinicensis, *Chloropsis*, 189.
coelebs, *Fringilla*, 85, 200, 236, 313, 414, 549, 568, 571.
Coephaloeus pileatus, 425.
Colaptes cafer, 87.
Colinus virginianus, 282.
collaris, *Prunella*, 19, 25.
Colocalia brevirostris, 350.
 —, *esculenta*, 181.
 —, *francica*, 181, 243.
 —, *fuciphaga*, 181, 196.
 —, *gigas*, 181.
 —, *maxima*, 181, 350.
- Colocalia salangana*, 181.
 —, *vestita*, 181.
collsi, *Erythropygia* l., 545.
collurio, *Lanius*, 19, 60, 84, 312.
collybita, *Phylloscopus*, 60, 82, 312, 459.
Columba livia, 22, 75, 242.
 —, *maculosa*, 102.
 —, *oenas*, 75.
 —, *palumbus*, 75, 425.
 —, *picazuro*, 103.
 —, *vitiensis*, 178.
columbarius, *Falco*, 8, 13, 424, 476.
Columbigallina talpacoti, 425, 449.
comata, *Hemiprocne*, 181.
comatus, *Berenicornis*, 183.
communis, *Sylvia*, 19, 60, 81, 235, 312, 459.
concolor, *Dicaeum*, 195.
concreta, *Halcyon*, 182, 351.
 —, *Muscicapa*, 191.
concretus, *Caprimulgus*, 180.
 —, *Hemicircus*, 184.
congensis, *Nectarinia*, 209.
conspicillata, *Sylvia*, 318.
cooperi, *Accipiter*, 424.
Copyschus malabaricus, 193.
 —, *pyrrhopygus*, 193.
 —, *saularius*, 193, 245, 350.
Coracias garrulus, 77, 309, 320, 458.
Coracina fimbriata, 187.
 —, *larvata*, 187.
 —, *striata*, 187, 350.
corax, *Corvus*, 78, 295.
cornutus, *Batrachostomus* j., 180.
coromanda, *Halcyon*, 182, 349, 351.
coromandelianus, *Nettapus*, 172.
coromandus, *Clamator*, 179, 350.
coronata, *Dendroica*, 434.
coronatus, *Anthracoceros*, 183.
 —, *Stephanoaetus*, 441.
corone, *Corvus*, 78, 572.
Corvus, 109.
 —, *brachyrhynchos*, 425.
 —, *corax*, 78, 295.
 —, *corone*, 572.
 —, *enca*, 187, 252, 349.
 —, *macrorhynchos*, 187, 244, 350.
 —, *monedula*, 19.
 —, *rhipidurus*, 317.
 —, *splendens*, 244, 350.
Corydon sumatranus, 185.
Cossypha roberti, 545.
Coturnix chinensis, 173.
 —, *coturnix*, 60, 67, 309, 460, 576.
crassa, *Napothera*, 190.
crassirostris, *Arachnothera*, 195.
Creagrus furcatus, 197.
crecca, *Anas*, 64, 306.

- Crex crex*, 306.
Criniger bres., 188.
 — finschi, 188.
 — ochraceus, 188.
 — phaeocephalus, 188.
criniger, *Microscelis*, 188.
 —, *Setornis*, 188.
cristata, *Galerida*, 77.
cristatus, *Lanius*, 186, 246.
 —, *Podiceps*, 62.
Croceethia alba, 50, 55, 72, 575.
Crotophaga ani, 87.
 — major, 87.
cruentatum, *Dicaeum*, 195, 246, 350.
cruentus, *Oriolus*, 186.
crumeniferus, *Leptoptilos*, 424, 449.
Crypsirhina temia, 249.
cucullatus, *Orthotomus*, 193.
Cuculus canorus, 22, 60, 75, 309, 460.
 — fugax, 178, 350.
 — microterus, 178.
 — poliocephalus, 179.
 — saturatus, 179.
 — sparverioides, 178.
 — vagans, 178.
Culicicapa ceylonensis, 191.
cuprea, *Nectarinia*, 209.
curruca, *Sylvia*, 60, 81, 312.
curvirostra, *Treron*, 177, 349.
curvirostre, *Toxostoma*, 420, 425, 450.
curvirostris, *Phaenicophaeus*, 179.
cyane, *Erithacus*, 193.
 —, *Luscinia*, 353.
cyaneus, *Circus*, 66, 173, 289, 335, 483, 534.
cyaniventris, *Pycnonotus*, 188.
Cyanochen, 111.
cyanolaema, *Nectarinia*, 209.
cyanomelana, *Muscicapa*, 191.
Cyanomitra, 208.
Cyanopica, 109.
cyanopogon, *Chloropsis*, 189.
cyanoptera, *Pitta* b., 351, 353.
Cyanosylvia svecica, 459.
cyanurus, *Erithacus*, 193.
 —, *Psittinus*, 178, 349.
Cymbirhynchus macrorhynchos, 185, 350.
Cypseloides rutilus, 425.
Cypsiurus parvus, 181, 243.
cyrenaicae, *Parus* C., 262.
Cyrtonyx montezumae, 424.

dactylatra, *Sula*, 339, 424, 508.
dalhousiae, *Psarisomus*, 185.
daurica, *Hirundo*, 312, 458.
degener, *Parus* c., 262.
Delichon urbica, 18, 78, 312, 458.
Demigretta sacra, 573.
Dendrocitta occipitalis, 187.

Dendrocopos canicapillus, 184, 244, 350.
 — moluccensis, 184, 244, 349.
Dendroica aestiva, 426.
 — coronata, 434.
 — kirtlandi, 410, 426.
 — striata, 410.
Dendronanthus indicus, 194.
deserti, *Oenanthe*, 60, 79.
desolata, *Pachyptila*, 100, 359.
diardi, *Harpactes*, 181.
 —, *Phaenicophaeus*, 179.
Dicaeum agile, 195.
 — celebicum, 195.
 — chrysorrheum, 195.
 — concolor, 195.
 — cruentatum, 195, 246, 350.
 — trigonostigma, 195, 246.
Dicrurus aeneus, 186.
 — annectans, 186, 350.
 — hottentottus, 186.
 — leucophaeus, 186, 350.
 — paradiseus, 186.
difficilis, *Empidonax*, 425.
diffusus, *Oriolus* c., 244.
Dinopium javanense, 184, 350.
 — rafflesii, 184.
diomedea, *Procellaria*, 317.
dispar, *Pycnonotus*, 188.
domesticus, *Passer*, 85, 129–144, 203, 236, 247, 270–282, 359–363.
 —, *Gallus*, 566.
dominica, *Pluvialis*, 174, 574.
Domicella domicella, 155.
dominicanus, *Larus*, 335.
douglallii, *Sterna*, 11, 177, 340, 513.
Dryocopus javensis, 184, 350.
dubius, *Charadrius*, 50, 55, 68, 174, 308, 458.
Ducula, 343.
 — aenea, 177, 349.
 — badia, 178, 349.
 — bicolor, 178, 349.
 — pickeringi, 177.
dumetoria, *Muscicapa*, 191.
Dupetor flavicollis, 171.
dussumieri, *Nectarinia*, 209.
duvaucelii, *Harpactes*, 181, 616.

ecaudatus, *Terathopius*, 441.
Egretta alba, 63, 170, 300, 349.
 — eulophotes, 170, 349.
 — garzetta, 63, 170, 300, (Plate 3), 347, 349, 460.
 — intermedia, 170, 349.
 — sacra, 170.
Elanus caeruleus, 172.
elata, *Ceratogymna*, 356.
elegans, *Rallus*, 424.
eleonorae, *Falco*, 534.
elongenense, *Glaucidium* t., 540.
Emberiza aureola, 60, 85.
 — caesia, 313.
 — calandra, 85, 236, 313.

Emberiza cia, 21, 85.
 — citrinella, 414.
 — hortulana, 21, 60, 85, 313, 459.
 — melanocephala, 24, 60, 85, 313.
emiliae, *Chlorocharis*, 194.
Empidonax difficilis, 425.
 — traillii, 425, 449.
Empidornis semipartitus, 543.
enca, *Corvus*, 187, 252, 349.
Enicurus, 109.
 — leschenaulti, 193.
 — ruficapillus, 193.
epilepidotus, *Napothera*, 190.
episcopus, *Ciconia*, 171.
epops, *Upupa*, 60, 77, 182, 309, 458.
Eremophila alpestris, 18, 25, 78, 425.
ericetorum, *Turdus*, 335.
Erithacus, 109, 112.
 — cyane, 193.
 — cyanurus, 193.
 — rubecula, 80, 203, 236, 313, 414, 425.
erithacus, *Ceyx*, 182, 350.
ernesti, *Falco* p., 173.
Erolia acuminata, 574.
 — melanotos, 574.
Erostopodus, *temmincki*, 180.
erythrinus, *Carpodacus*, 60, 85, 577.
erythrocerca, *Nectarinia*, 209, 616.
erythroptera, *Stachyris*, 190.
erythropterus, *Pteruthius*, 190.
erythrophthalma, *Lophura*, 173.
erythrophthalmos, *Pycnonotus*, 188.
erythrophthalmus, *Pipilo*, 426.
erythropus, *Tringa*, 50, 55, 71, 175, 308, 483.
Erythropygia galactotes, 60, 81.
 — leucosticta, 545.
Erythrura hyperythra, 196.
 — prasina, 196.
Esacus magnirostris, 176.
esculenta, *Collocalia*, 181.
Eudromias morinellus, 25.
Eudynamis scolopacea, 179, 350.
 — taitensis, 575.
Eudyptes chrysocome, 424, 450.
eulophotes, *Egretta*, 170, 349.
Eupetes macrocerus, 189.
 — orix, 321, 331.
eurhythmus, *Ixobrychus*, 171.
europaea, *Sitta*, 260, 262.
europaeus, *Caprimulgus*, 22, 60, 76, 309.
Eurylaimus javanicus, 185.
 — ochromalus, 185.
Eurystomus orientalis, 182, 350.
euryzona, *Alcedo*, 182.
everetti, *Zoothera*, 194.

- everetti, *Zosterops*, 194.
excubitor, *Lanius*, 60, 84.
exilis, *Indicator*, 541.
eximia, *Megalaima*, 183.
- falcinellus*, *Limicola*, 50, 72, 176.
 ——, *Plegadis*, 63, 300, 348.
Falco biarmicus, 289, 534.
 —— *cherrug*, 47, 67, 534.
 —— *columbarius*, 8, 13, 424, 476.
 —— *eleonorei*, 534.
 —— *naumannii*, 47, 67, 210, 289, 460, 535.
 —— *peregrinus*, 21, 66, 173, 201, 289, 350, 534.
 —— *severus*, 173.
 —— *sparverius*, 424.
 —— *subbuteo*, 46, 66, 289, 460, 534.
 —— *tinnunculus*, 8, 22, 47, 67, 173, 289, 535.
 —— *vespertinus*, 289, 534.
fallax, *Bulweria*, 27, 34, 317, 505.
famosa, *Nectarinia*, 209.
fasciata, *Rallina*, 174.
feldegg, *Motacilla f.*, 83, 312, 458.
ferina, *Aythya*, 64, 306, 478.
ferox, *Buteo*, 22.
ferruginea, *Calidris*, 176, 308, 460.
ferruginea, *Tadorna*, 469.
Ficedula albicollis, 313, 460.
 —— *hypoleuca*, 235, 260–269, 312, 459.
 —— *parva*, 313.
fimbriata, *Amazilia*, 425, 448.
 ——, *Coracina*, 187.
finschi, *Criniger*, 188.
finschi, *Oenanthe*, 20, 79, 313.
fischeri, *Agapornis*, 150.
 ——, *Turdus*, 543, 547.
fistulator, *Bycanistes*, 356.
flammea, *Acanthis*, 426.
flammeus, *Asio*, 309.
 ——, *Pericrocotus*, 187.
flava, *Motacilla*, 40, 41, 46, 83, 194, 235, 237, 246, 312, 350, 458.
flavalus, *Microscelis*, 189.
flaveolus, *Passer*, 249.
flavescens, *Pycnonotus*, 188.
flavicans, *Foudia*, 342.
 ——, *Prinia*, 324.
flavicollis, *Dupetor*, 171.
flavigaster, *Arachnothera*, 195.
flavirostra, *Limnocorax*, 346.
flavissima, *Motacilla f.*, 458.
flaviventris, *Prinia*, 192.
flavivitilis, *Locustella*, 460, 576.
Forpus passerinus, 147.
fortipes, *Cettia*, 192.
Foudia flavicans, 342.
francica, *Collocalia*, 181, 243.
Francolinus adspersus, 92.
- Francolinus bicalcaratus*, 90.
 —— *capensis*, 91.
 —— *hildebrandti*, 538.
 —— *natalensis*, 92.
Fratercula arctica, 12.
Fregata andrewsi, 170.
 —— *aquila*, 424, 450.
 —— *ariel*, 170, 339, 509.
 —— *minor*, 170, 339, 509.
Fregetta grallaria, 508.
 —— *tropica*, 27, 508.
Fregilupus varius, 342, 344.
frenatus, *Chaetops*, 91.
freycinet, *Megapodius*, 174.
Fringilla coelebs, 85, 200, 236, 313, 414, 549, 568, 571.
 —— *montifringilla*, 313, 481, 568, 576.
frontalis, *Sitta*, 194.
fuciphaga, *Collocalia*, 181, 196.
fugax, *Cuculus*, 178, 350.
Fulica atra, 174, 306.
fulicarius, *Phalaropus*, 9, 73.
fuliginosa, *Nectarinia*, 209.
fuliginosus, *Calorhamphus*, 183.
fuligula, *Aythya*, 64, 171, 306.
Fulmarus glacialis, 6, 14.
fulvicollis, *Treron*, 177, 349.
fulvus, *Gyps*, 21, 47, 64, 289, 477, 525.
furcatus, *Creagrus*, 197.
 ——, *Larus*, 197.
fusca, *Gerygone*, 192, 350.
 ——, *Nectarinia*, 209.
 ——, *Phoebezia*, 504.
 ——, *Porzana*, 174.
fuscans, *Lonchura*, 196.
fuscata, *Sterna*, 336, 340, 509, 517.
fuscescens, *Hylocichla*, 426.
fuscus, *Acridotheres*, 246, 350.
 ——, *Larus*, 10, 73, 295, 296, 441, 448, 509.
- gabonica*, *Anthreptes*, 356.
galactotes, *Cercotrichas*, 313, 459.
 ——, *Erythropygia*, 60, 81.
galericulatus, *Platylophus*, 187.
Galerida cristata, 77.
galeritus, *Anorrhinus*, 183.
galgulus, *Loriculus*, 178, 145–164, 349.
Gallicrex cinerea, 174, 350.
gallicus, *Circaeus*, 66, 211, 289, 458, 534.
Gallinago gallinago, 50, 55, 69, 308, 460.
 —— *media*, 69, 308.
gallinago, *Capella*, 176.
Gallinula chloropus, 480, 483.
gallopavo, *Meleagris*, 566.
Gallus domesticus, 566.
Garrulax lugubris, 190.
 —— *mitratus*, 190.
 —— *palliatius*, 190.
Garrulus, 109.
- Garrulus glandarius*, 572.
garrulus, *Coracias*, 77, 309, 320, 458.
garzetta, *Egretta*, 63, 170, 300, 347, (Plate 3), 349, 460.
gavia, *Puffinus*, 100.
Gelochelidon nilotica, 74, 177, 296, 478, 483.
genei, *Larus*, 73, 296.
Geopelia striata, 178, 243.
Geothlypis trichas, 426.
Gerygone fusca, 192, 350.
gigantea, *Chaetura*, 181.
gigas, *Collocalia*, 181.
glacialis, *Fulmarus*, 6, 14.
glandarius, *Clamator*, 309, 460.
 ——, *Garrulus*, 572.
Glareola pratincola, 50, 55, 73, 176, 308, 460.
glareola, *Tringa*, 50, 55, 70, 175, 308, 460.
glaucescens, *Larus*, 424, 450.
Glaucidium brodiei, 180.
 —— *tephronotum*, 540.
glaucus, *Myiophonus*, 194.
glaucoides, *Larus*, 199.
goavier, *Pycnonotus*, 188, 204, 245.
goliath, *Ardea*, 346, 347.
Gorsachius melanolophus, 171.
gouldi, *Circus a.*, 332.
Gracula religiosa, 187, 350.
Graculipica nigricollis, 249.
graculus, *Pyrrhocorax*, 19, 25, 78.
graeca, *Alectoris*, 67.
grallaria, *Fregetta*, 508.
gramineus, *Pooecetes*, 426, 616.
granatina, *Pitta*, 185.
Grandala, 109.
graueri, *Otus*, s. 539.
gravis, *Puffinus*, 3, 14.
grillii, *Centropus*, 87.
grisea, *Procellaria*, 14.
griseus, *Anthus c.*, 82.
 ——, *Passer*, 328.
 ——, *Puffinus*, 5, 424, 573.
Grus americana, 410.
 —— *grus*, 67, 306, 535.
grylle, *Cephus*, 424.
 ——, *Uria*, 12.
guajana, *Pitta*, 185.
gularis, *Accipiter*, 172.
 ——, *Macronyx*, 190, 350.
 ——, *Rhinomyias*, 192.
 ——, *Serinus*, 92, 328.
 ——, *Tephrodornis*, 187, 350.
gustavi, *Anthus*, 194.
guttata, *Hylocichla*, 426.
 ——, *Zoothera*, 543.
guttifer, *Tringa*, 175.
gutturalis, *Irania*, 80.
Gygis alba, 340, 513.
gymnocephala, *Pityriasis*, 186.
gymnocephalus, *Picathartes*, 93.
Gypaetus barbatus, 21, 65.

Gyps fulvus, 21, 47, 64, 289, 477, 525.
habessinica, *Nectarinia*, 209.
haemacephala, *Megalaima*, 350.
haematina, *Spermophaga*, 356.
Haematopus ostralegus, 8, 50, 68, 308.
Haemotryx sanguiniceps, 173.
Halcyon chloris, 182, 243, 254, 349.
 —— *concreta*, 182, 351.
 —— *coromanda*, 182, 349, 351.
 —— *pileata*, 182, 349, 353.
 —— *sancta*, 182.
 —— *smyrnensis*, 243, 350.
Haliaeetus albicilla, 66.
 —— *leucocephalus*, 441.
 —— *leucogaster*, 172, 349.
 —— *vocifer*, 441, 448.
haliaeetus, *Pandion*, 66, 173, 317, 350, 460, 534.
Haliastur indus, 172, 242, 252, 349.
Harpactes diardi, 181.
 —— *duvaucelii*, 181, 616.
 —— *kasumba*, 181.
 —— *oreskios*, 181.
 —— *orophaeus*, 181.
 —— *whiteheadi*, 181.
hartlaubi, *Cairina*, 111.
 —— *Nectarinia*, 209.
heliaca, *Aquila*, 525.
Hemicircus concretus, 184.
Hemiprocne comata, 181.
 —— *longipennis*, 181, 243, 350.
Hemipus hirundinaceus, 187.
 —— *picatus*, 187.
henricii, *Megalaima*, 183, 616.
Heteronetta, 111.
Heteroscelus incanus, 175.
heuglini, *Larus f.*, 73.
hiaticula, *Charadrius*, 50, 55, 68, 308, 478.
Hieraëtus africanus, 537.
 —— *ayresi*, 441.
 —— *kienerii*, 172.
 —— *pennatus*, 65, 211, 289, 460, 530.
 —— *spilogaster*, 441.
hildebrandti, *Francolinus*, 538.
Himantopus himantopus, 50, 72, 308, 460.
Hippolais icterina, 471.
 —— *pallida*, 60, 81, 312, 459, 462.
 —— *polyglotta*, 459.
hirundinaceus, *Hemipus*, 187.
Hirundo daurica, 312, 458.
 —— *rupestris*, 18.
 —— *rustica*, 40, 41, 46, 78, 185, 244, 312, 320, 410, 425, 458.
 —— *striolata*, 186.
 —— *tahitica*, 185, 244, 350.

hirundo, *Sterna*, 11, 40, 41, 74, 296.
hispanica, *Oenanthe*, 60, 79, 313, 460.
hispaniensis, *Sitta e.*, 262.
hispaniolensis, *Passer*, 318, 462, 484.
Histrionicus, 111.
hodsoni, *Anthus*, 194.
 ——, *Muscicapella*, 192.
Hodgsonius, 109.
holomelaena, *Psalidoprocne*, 545.
Hoplopterus spinosus, 308.
hortensis, *Sylvia*, 312, 460.
hortulana, *Emberiza*, 21, 60, 85, 313, 459.
horus, *Apus*, 110.
hosei, *Calyptomena*, 185.
hottentottus, *Dicrurus*, 186.
hudsonius, *Circus*, 336.
humii, *Halcyon c.*, 254.
hunteri, *Nectarinia*, 209.
hybrida, *Chlidonias*, 74, 176, 296, 478.
Hydrobates pelagicus, 2.
Hydropogone caspia, 74.
 —— *tschegrava*, 317.
hyemalis, *Junco*, 142, 434.
Hylocichla fuscescens, 426.
 —— *guttata*, 426.
 —— *minima*, 426.
 —— *mustelina*, 426.
 —— *ustulata*, 426, 450.
Hymenolaimus, 111.
hyperboreus, *Larus*, 199, 299.
hyperythra, *Arborophila*, 173.
 ——, *Erythrura*, 196
 ——, *Muscicapa*, 191.
hypogrammica, *Nectarinia*, 195.
hypoleuca, *Ficedula*, 235, 260–269, 312, 459.
 ——, *Muscicapa*, 82, 269, 430.
hypoleucus, *Tringa*, 50, 55, 70, 175, 308, 350, 458, 574.
Hypothymis azurea, 192.
hypoxantha, *Pachycephala*, 192.
hyrcanus, *Erithacus r.*, 80.
 ——, *Passer d.*, 85.

iberiae, *Motacilla f.*, 458.
Ibis cinereus, 349.
 —— *ibis*, 347.
ibis, *Ardeola*, 63.
 ——, *Bubulcus*, 170, 300, 347, 573.
ichthyaetus, *Ichthyophaga*, 172.
 ——, *Larus*, 73, 299.
icterina, *Hippolais*, 471.
Ichthyophaga ichthyaetus, 172.
 —— *nana*, 173.
Ictinaetus malayensis, 172.
igneus, *Pericrocotus*, 187.
ignicapillus, *Regulus*, 236.
ignita, *Lophura*, 173.
icanus, *Heteroscelus*, 175.
indica, *Chalcophaps*, 178.
indica, *Motacilla*, 349.
Indicator archipelagus, 184, 616.
 —— *exilis*, 541.
 —— *pumilio*, 540, 548.
 —— *willcocksi*, 541.
indicus, *Butastur*, 172.
 ——, *Caprimulgus*, 180.
 ——, *Dendronanthus*, 194.
indigo, *Muscicapa*, 191.
indus, *Haliastur*, 172, 242, 252, 349.
innominatus, *Picumnus*, 184.
inornata, *Sylvia c.*, 462, 475.
inornatus, *Phylloscopus*, 576.
intermedia, *Egretta*, 170, 349.
intermedius, *Mesophoyx*, (Plate 3), 347.
 ——, *Ploceus*, 321.
interpres, *Arenaria*, 50, 69, 175, 308, 574.
 ——, *Zoothera*, 194.
Irania, 109.
 —— *gutturalis*, 80.
Irena puella, 189.
Iridoprocne bicolor, 425.
iringae, *Pseudonigrita a.*, 546.
isabellina, *Oenanthe*, 20, 60, 79, 318.
isabellinus, *Lanius c.*, 84.
itombwensis, *Muscicapa l.*, 542.
Ixbrychus cinnamomeus, 171.
 —— *eurhythmus*, 171.
 —— *minutus*, 22, 63, 300, 346, 460.
 —— *sinensis*, 177.
jacksoni, *Ploceus*, 346.
jamaicensis, *Buteo*, 424.
jambu, *Ptilinopus*, 177, 349.
jamesi, *Tchagra*, 545.
jamesoni, *Parmoptila*, 547.
javanense, *Dinopium*, 184, 350.
javanica, *Rhipidura*, 191, 246, 350.
javanicus, *Acridotheres f.*, 246.
 ——, *Butorides*, 342.
 ——, *Eurylaimus*, 185.
 ——, *Leptoptilos*, 171, 349.
 ——, *Phaenicophaeus*, 179.
javensis, *Batrachostomus*, 180.
 ——, *Dryocopus*, 184, 350.
jeffreyi, *Chlamydochaera*, 187.
jerdoni, *Aviceda*, 172.
jocosus, *Pycnonotus*, 249.
johannae, *Nectarinia*, 209.
johnstoni, *Nectarinia*, 209.
 ——, *Tauraco*, 538.
jugularis, *Leptocoma*, 246.
 ——, *Nectarinia*, 195, 349.
juliae, *Arachnothera*, 196.
juncidis, *Cisticola*, 211, 576.
Junco hyemalis, 142, 434.
 —— *oreganus*, 567.
Jynx torquilla, 60, 77, 309, 458.

- kakamegae, *Pycnonotus* m., 542.
 kasumba, *Harpactes*, 181.
kavirondensis, *Empidornis* s., 543.
Kenopia striata, 190.
ketupu, *Bubo*, 180, 350.
kienerii, *Hieraetus*, 172.
kilimensis, *Nectarinia*, 209.
kirtlandi, *Dendroica*, 410, 426.
Kitta chinensis, 187.
 — *thalassina*, 187.
kivuense, *Glaucidium* t., 540.
kivuensis, *Tauraco* j., 538.
kobylini, *Lanius* c., 84.
koenigi, *Apus* a., 106.
krameri, *Psittacula*, 249.
- Lacedo pulchella*, 182.
Lagonosticta rufopicta, 356.
Lagopus mutus, 25.
 — *scoticus*, 410.
Lalage nigra, 187, 244, 350.
lamelligerus, *Anastomus*, 348.
lanceolata, *Locustella*, 193, 353.
Laniarius barbarus, 356.
Lanius, 449.
 — *collurio*, 19, 60, 84, 312.
 — *cristatus*, 186, 246.
 — *excubitor*, 60, 84.
 — *ludovicianus*, 426.
 — *minor*, 60, 84, 312.
 — *nubicus*, 312.
 — *schach*, 186.
 — *senator*, 312, 459.
 — *tigrinus*, 186, 353.
lapponica, *Limosa*, 50, 55, 70, 175, 575.
lapponicus, *Calcarius*, 13, 426, 449.
Larus argentatus, 10, 73, 197, 295, 441, 448.
 — *atricilla*, 197.
 — *audouini*, 299.
 — *canus*, 296.
 — *cirrocephalus*, 357.
 — *dominicanus*, 335.
 — *furcatus*, 197.
 — *fuscus*, 10, 73, 295, 296, 441, 448, 509.
 — *genei*, 73, 296.
 — *glaucescens*, 424, 450.
 — *glaucooides*, 199.
 — *hyperboreus*, 199, 299.
 — *ichthyaetus*, 73, 299.
 — *leucophthalmus*, 317.
 — *marinus*, 10, 441, 448, 478.
 — *minutus*, 74, 299.
 — *pipixcan*, 575.
 — *ridibundus*, 74, 106, 176, 197, 296, 460.
 — *thayeri*, 199.
 — *tridactylus*, 197.
larynx, *Coracina*, 187.
latifrons, *Microhierax*, 173.
latirostris, *Muscicapa*, 191, 353.
leguati, *Orphanopsar*, 342.
lendu, *Muscicapa*, 542, 548.
Leptocoma jugularis, 246.
leptogrammica, *Strix*, 180.
Leptoptilos crumeniferus, 424, 449.
 — *javanicus*, 171, 349.
lepturus, *Phaethon*, 340, 424, 508.
leschenaulti, *Charadrius*, 50, 69, 174, 308.
 — *Enicurus*, 193.
leucocephala, *Oxyura*, 477.
leucocephalus, *Aceros*, 183, 351.
 — *Haliaetus*, 441.
leucogaster, *Haliaeetus*, 172, 349.
 — *Sula*, 169, 317, 424.
leucogastra, *Lonchura*, 196.
 — *Munia*, 247.
leucogrammica, *Ptilocichla*, 189.
leucomela, *Oenanthe*, 79.
leucomelas, *Puffinus*, 169.
leuconotus, *Nycticorax*, 347.
leucophaeus, *Dicrurus*, 186, 350.
leucophrys, *Anas*, 111.
 — *Zonotrichia*, 207, 426, 566.
leucophthalmus, *Larus*, 317.
leucoptera, *Chlidonias*, 74, 176, 296, 483.
leucopterus, *Platysurus*, 187.
 — *Serinus*, 91.
leucopygia, *Chaetura*, 181.
leucorhoa, *Oceanodroma*, 2, 27, 424, 448.
leucorhynchus, *Artamus*, 186.
leucorodia, *Platalea*, 63, 300, 474.
leucosticta, *Erythopygia*, 545.
leucotis, *Stachyris*, 190.
leucura, *Chettusia*, 50, 68.
lherminieri, *Puffinus*, 34, 341, 505.
Limicola falcinellus, 50, 72, 176.
Limnocorax flavirostra, 346.
Limosa lapponica, 50, 55, 70, 175, 575.
 — *limosa*, 50, 55, 69, 308, 349.
lineola, *Bolborhynchus*, 147, 164.
livia, *Columba*, 22, 75, 242.
lobatus, *Phalaropus*, 72, 176.
Locustella certhiola, 192, 353.
 — *fluvialis*, 460, 576.
 — *lanceolata*, 193, 353.
 — *lusciniooides*, 80, 460.
 — *melanopogon*, 80.
 — *naevia*, 460.
 — *ochotensis*, 193.
lomvia, *Uria*, 11.
Lonchura fuscans, 196.
 — *leucogastra*, 196.
 — *malacca*, 196.
longicauda, *Psittacula*, 178, 243, 349.
longicaudus, *Stercorarius*, 10, 73.
longipennis, *Hemiprocne*, 181, 243, 350.
longirostris, *Arachnothera*, 195.
Lophoetaetus occipitalis, 441.
Lophonetta, 111.
Lophortyx californicus, 424.
Lophura bulweri, 173.
 — *erythrophthalma*, 173.
 — *ignita*, 173.
Loriculus amabilis, 147, 154, 158.
 — *beryllinus*, 149, 157.
 — *galgulus*, 145–164, 178, 349.
 — *philippensis*, 158.
 — *stigmatus*, 154.
 — *vernalis*, 145–164.
loveridgei, *Nectarinia*, 209.
lucidus, *Chrysocolaptes*, 184, 349.
lucionensis, *Tanygnathus*, 178.
lugubris, *Garrulax*, 190.
 — *Surniculus*, 179.
Iukolelae, *Glaucidium* t., 540.
Lullula arborea, 77, 236.
Luscinia, 109.
 — *cyane*, 353.
 — *luscinia*, 60, 80.
 — *megarhynchos*, 80, 313, 459.
 — *svecica*, 313.
lusciniooides, *Locustella*, 80, 460.
lutea, *Motacilla* f., 83.
Lymnocryptes minima, 480.
- Machaeramphus alcinus*, 172.
macrocerus, *Eupetes*, 189.
Macronus gularis, 190, 350, 616.
 — *ptilosus*, 190.
macroptera, *Pterodroma*, 341.
Macropygia, *phasianella*, 178.
 — *ruficeps*, 178.
macrorhynchos, *Corvus*, 187, 244, 350.
 — *Cymbirhynchus*, 185, 350.
macrourus, *Circus*, 66, 335, 533.
macrura, *Sterna*, 11.
macrurus, *Caprimulgus*, 180, 243, 350.
macularia, *Tringa*, 574.
maculata, *Stachyris*, 190.
maculatus, *Prionochilus*, 195.
maculosa, *Columba*, 102.
madagascariensis, *Numenius*, 175.
magnirostre, *Malacopteron*, 189.
magnirostris, *Esacus*, 176.
magnum, *Malacopteron*, 189.
maja, *Munia*, 247.
major, *Crotophaga*, 87.

- major, *Parus*, 78, 104, 141, 143, 192, 201, 251, 282, 349, 414, 425, 450, 570.
malabaricus, *Copyschus*, 193.
malacca, *Lonchura*, 196.
malaccense, *Trichastoma*, 189.
malaccensis, *Anthreptes*, 195, 246, 350.
 —, *Polyplectron*, 173.
Malacocincla abbotti, 245.
Malacopteron affine, 189.
 —, *cinerum*, 189.
 —, *magnirostre*, 189.
 —, *magnum*, 189.
Malacorhynchus, 111.
malayanus, *Anthracoceros*, 183.
 —, *Chalcites*, 179.
malayensis, *Ictinaetus*, 172.
marina, *Pelagodroma*, 505, 518.
marinus, *Larus*, 10, 441, 448, 478.
mariquensis, *Nectarinia*, 209.
maritima, *Ammospiza*, 426, 451.
Marmoronetta, 111.
masakuensis, *Pycnonotus*, 542.
mtsudairae, *Oceanodroma*, 28, 33, 508.
mauretanicus, *Puffinus* p., 2.
maxima, *Collocalia*, 181, 350.
mcclellandii, *Microscelis*, 248, 616.
mccownii, *Rhynchophanes*, 426.
media, *Gallinago*, 69, 308.
mediocris, *Nectarinia*, 209.
medje, *Glaucidium* t., 540.
megala, *Capella*, 175.
Megalaima australis, 183.
 —, *chrysopogon*, 183.
 —, *eximia*, 183.
 —, *haemacephala*, 350.
 —, *henricii*, 183, 616.
 —, *monticola*, 183.
 —, *mystacophanos*, 183, 616.
 —, *pulcherrima*, 183.
 —, *rafflesii*, 183.
Megapodius freycinet, 174.
megarhyncha, *Pitta* b., 351, 353.
megarhynchos, *Luscinia*, 80, 313, 459.
Meiglyptes tristis, 184.
 —, *tukki*, 184.
Melaenornis ardesiaca, 543, 548, 616.
Melanitta, 111.
melanocephala, *Ardea*, 346.
 —, *Emberiza*, 24, 60, 85, 313.
 —, *Sylvia*, 317.
 —, *Threskiornis*, 171.
melanocephalus, *Pheucticus*, 567.
 —, *Ptilinopus*, 177.
Melanocorypha calandra, 77.
melanogaster, *Fregetta* t., 27.
melanogrisea, *Motacilla* f., 83.
melanoleuchen, *Fregetta*, t., 508.
melanoleucus, *Circus*, 173.
 —, *Pycnonotus*, 188.
melanolophus, *Gorsachius*, 171.
Melanophoyx ardesiaca, 347.
melanopogon, *Locustella*, 80.
melanops, *Sula* d., 508.
melanotos, *Erolia*, 574.
melanoxanthus, *Ploceus* n., 546.
melanurus, *Passer*, 321.
melba, *Apus*, 22, 47, 76, 110, 460.
 —, *Asio*, 309.
Meleagris gallopavo, 566, 616.
meleagris, *Numida*, 90.
Melierax metabates, 90.
Melocichla, 92.
melodia, *Melospiza*, 141, 426, 568.
Melopsittacus undulatus, 151.
Melospiza melodia, 141, 426, 568.
meninting, *Alcedo*, 182.
mennelli, *Serinus*, 92.
mentalis, *Picus*, 184, 350.
Merganetta, 111.
Mergus, 111.
 —, *albellus*, 306.
Merops apiaster, 40, 41, 46, 76, 236, 309, 458.
 —, *philippinus*, 350.
 —, *superciliosus*, 40, 41, 76, 182, 244, 309, 458.
 —, *viridis*, 182, 244, 350.
merula, *Turdus*, 79, 236, 313.
merulinus, *Cacomantis*, 179.
Mesophoyx intermedium, (Plate 3), 347.
metabates, *Melierax*, 90.
mexicanus, *Carpodacus*, 426.
Microhierax caerulescens, 173.
 —, *latifrons*, 173.
Micropternus brachyurus, 184.
micropterus, *Cuculus*, 178.
Microscelis charlottae, 189.
 —, *criniger*, 188.
 —, *flavalus*, 189.
 —, *mcclellandii*, 248, 616.
 —, *virescens*, 188.
migrans, *Milvus*, 65, 172, 210, 249, 289, 458, 533.
migratorius, *Turdus*, 426.
Milvus migrans, 65, 172, 210, 249, 289, 458, 533.
 —, *milvus*, 65, 533.
miniaceus, *Picus*, 184, 350.
minima, *Hylocichla*, 426.
 —, *Lymnocryptes*, 480.
Minla castaneiceps, 190.
minor, *Fregata*, 170, 339, 509.
 —, *Lanius*, 60, 84, 312.
minulla, *Nectarinia*, 209, 546.
 —, *Sylvia*, 81.
minuta, *Calidris*, 50, 55, 71, 308, 460.
minutilla, *Calidris*, 176.
minutus, *Anous*, 177.
 —, *Ixbrychus*, 22, 63, 300, 346, 460.
 —, *Larus*, 74, 299.
 —, *Numenius*, 175.
Mirafra candida, 541, 547.
 —, *pulpa*, 541, 547.
 —, *williamsi*, 541.
mitratus, *Garrulax*, 190.
modularis, *Prunella*, 19, 312, 414, 576.
mollis, *Pterodroma*, 505.
molissima, *Somateria*, 410.
Molothrus ater, 426, 616.
moluccensis, *Dendrocopos*, 184, 244, 349.
monachus, *Aegypius*, 22, 289, 525.
 —, *Centropus*, 87, 616.
monedula, *Corvus*, 19.
mongolus, *Charadrius*, 69, 174, 308, 349.
monocerata, *Cerorhinca*, 424.
monorhis, *Oceanodroma*, 27, 33, 169, 317, 508.
montana, *Brachypteryx*, 193.
montanus, *Passer*, 85, 129, 144, 196, 247, 270-282, 350, 359-363, 414.
 —, *Pomatorhinus*, 189.
montezumae, *Cryptonyx*, 424.
Monticola, 109.
 —, *saxatilis*, 20, 79, 313, 460.
 —, *solitarius*, 193, 313.
monticola, *Megalaima*, 183.
Montifringilla nivalis, 21, 23, 25.
montifringilla, *Fringilla*, 313, 481, 568, 576.
montis, *Scierurus*, 193.
moreaui, *Nectarinia*, 209.
morinellus, *Eudromias*, 25.
Motacilla alba, 8, 12, 18, 83, 90, 194, 312, 459, 462.
 —, *caspica*, 194.
 —, *cinerea*, 47, 83, 194, 312.
 —, *citreola*, 83.
 —, *flava*, 40, 41, 46, 83, 194, 235, 237, 246, 312, 350, 458.
 —, *indica*, 349.
motacilla, *Seiurus*, 426.
mugimaki, *Muscicapa*, 191.
Mulleripicus pulverulentus, 184, 350.
Munia leucogastra, 247.
 —, *maja*, 247.
 —, *punctulata*, 247, 362.
 —, *striata*, 248.
muraria, *Tichodroma*, 20, 25.
Muscicapa albicollis, 82.
 —, *aquatica*, 452.
 —, *banyumas*, 191.
 —, *caerulata*, 191.
 —, *concreta*, 191.
 —, *cyanomelana*, 191.
 —, *dumetoria*, 191.
 —, *hyperythra*, 191.
 —, *hypoleuca*, 82, 269, 430.
 —, *indigo*, 191.
 —, *latirostris*, 191, 353.

Muscicapa lenu, 542, 548.
 — *mugimaki*, 191.
 — *narcissina*, 191.
 — *olivascens*, 542.
 — *parva*, 60, 82.
 — *rubeculoides*, 353.
 — *rufigastra*, 191, 349.
 — *rufilata*, 191.
 — *sibirica*, 191, 353.
 — *striata*, 22, 60, 82, 313, 459, 616.
 — *thalassina*, 191.
 — *turcosa*, 191.
 — *unicolor*, 191.
 — *venusta*, 191.
 — *westermanni*, 191.
 — *zanthopygia*, 353.
Muscicapella hodgsoni, 192.
musculus, *Troglodytes*, 425.
musicus, *Turdus*, 571.
mustelina, *Hylocichla*, 426.
mutus, *Lagopus*, 25.
Mycteria americana, 424.
Myiobius atricaudatus, 425.
Myiophonus, 109, 616.
Myiophonus glaucinus, 194.
Myopsitta, 161.
myoptilus, *Apus*, 110.
mystacalis, *Aethopyga*, 195.
mystacea, *Sylvia*, 60, 81.
mystacophanus, *Megalaima*, 183, 616.

naevia, *Locustella*, 460.
nana, *Ichthiophaga*, 173.
nanus, *Spizetus*, 172.
Napothera atrigularis, 190.
 — *crassa*, 190.
 — *epilepidotus*, 190.
narcissina, *Muscicapa*, 191.
natalensis, *Francolinus*, 92.
natalicus, *Turdus*, f., 543.
naumannii, *Falco*, 47, 67, 210, 289, 460, 535.
nebularia, *Tringa*, 50, 55, 71, 175, 308, 460.
Nectarinia adelberti, 209.
 — *africana*, 209.
 — *alinae*, 209.
 — *amethystina*, 209, 328.
 — *balfouri*, 209.
 — *bannermani*, 209.
 — *batesi*, 209.
 — *bifasciata*, 209.
 — *bocagie*, 209.
 — *bouvieri*, 209.
 — *chalcostheta*, 195, 349.
 — *chalybea*, 209.
 — *chloropygia*, 209.
 — *coccinigaster*, 209.
 — *congenis*, 209.
 — *cuprea*, 209.
 — *cyanolaema*, 209.
 — *dussumieri*, 209.
 — *erythrocerca*, 209, 616.
 — *famosa*, 209.
 — *fuliginosa*, 209.
 — *fusca*, 209.
 — *habessinica*, 209.

Nectarinia hartlaubi, 209.
 — *hunteri*, 209.
 — *hypogrammica*, 195.
 — *johannae*, 209.
 — *johnstoni*, 209.
 — *jugularis*, 195, 349.
 — *kiliensis*, 209.
 — *loveridgei*, 209.
 — *marquensis*, 209.
 — *mediocris*, 209.
 — *minulla*, 209, 546.
 — *moreau*, 209.
 — *nectarinoides*, 209.
 — *neergardi*, 209.
 — *newtoni*, 209.
 — *notata*, 209.
 — *olivacea*, 209.
 — *oritis*, 209.
 — *osea*, 209, 318.
 — *oustaleti*, 209.
 — *pembae*, 209.
 — *preussi*, 209.
 — *pulchella*, 209, 346.
 — *purpureiventris*, 209.
 — *regia*, 92, 209.
 — *reichenbachii*, 209.
 — *reichenowi*, 209.
 — *rockfelleri*, 92.
 — *rubescens*, 209.
 — *senegalensis*, 209.
 — *shelleyi*, 209.
 — *siemundi*, 209.
 — *sperata*, 195, 350.
 — *superba*, 209.
 — *tacazze*, 209.
 — *talatala*, 209.
 — *venusta*, 209.
 — *veroxii*, 209.
 — *verticalis*, 209.
 — *violacea*, 91, 209.
nectarinoides, *Nectarinia*, 209.
Necropsar rodericanus, 342.
neergardi, *Nectarinia*, 209.
Neochen, 111.
Neophron percnopterus, 21, 47, 64, 289, 458, 525.
Nesillas, 343.
Netta, 111.
Nettapus, 111.
 — *coromandelianus*, 172.
neumayeri, *Sitta*, 20, 79.
newtoni, *Nectarinia*, 209.
nicobarica, *Caloenas*, 178.
niedicki, *Carduelis* c., 577.
niger, *Chlidonias*, 74, 296.
nigra, *Chlidonias*, 476.
 —, *Ciconia*, 63, 300, 525.
 —, *Lalage*, 187, 244, 350.
nigriceps, *Stachyris*, 190.
nigricollis, *Graculipica*, 249.
 —, *Ploceus*, 546.
 —, *Podiceps*, 62, 306.
 —, *Sporophila*, 426.
 —, *Stachyris*, 190.
nilotica, *Gelochelidon*, 74, 177, 296, 478, 483.
Ninox scutulata, 180, 350.
nistoria, *Sylvia*, 81, 576.
nitus, *Accipiter*, 65, 211, 289, 460, 532, 572.

nitidus, *Phylloscopus*, 60, 82.
nivalis, *Montifringilla*, 21, 23, 25.
 —, *Plectrophenax*, 426, 449.
nivosus, *Otus scops*, subsp. nov., 538.
noctua, *Athene*, 76.
notata, *Nectarinia*, 209.
novaeelandiae, *Anthus*, 194, 246.
nubicus, *Lanius*, 312.
Nucifraga, 109.
Numenius, 340.
 — *arquata*, 50, 55, 69, 175, 308, 483.
 — *madagascariensis*, 175.
 — *minutus*, 175.
 — *phaeopus*, 8, 50, 55, 69, 175, 349, 355, 574.
 — *tenuirostris*, 69.
Numida meleagris, 90.
Nyctea scandiaca, 425, 450.
Nycticorax caledonicus, 171.
 — *leuconotus*, 347.
 — *nycticorax*, 177, 300, 347, 349, 458.
Nyctornis amicta, 182.
nyroca, *Aythya*, 64.

oberlaenderi, *Zoothera*, 544.
obscurus, *Parus* c., 262.
obsoleta, *Rhodopechys*, 318.
occipitalis, *Dendrocitta*, 187.
 —, *Lophoæetus*, 441.
 —, *Phylloscopus*, 353.
oceanicus, *Oceanites*, 28, 33, 34, 343, 505, 519.
Oceanites oceanicus, 28, 33, 34, 343, 505, 519.
Oceanodroma, 515, 518.
 — *castro*, 424, 447.
 — *leucorhoa*, 2, 27, 424, 448.
 — *matsudairae*, 28, 33, 34, 508.
 — *monorhis*, 27, 33, 34, 169, 317, 508.
 — *tristrami*, 28.
ochraceus, *Criniger*, 188.
ochromalus, *Eurylaimus*, 185.
ochropus, *Tringa*, 50, 55, 70, 175, 308, 458.
ochotensis, *Locustella*, 193.
ochruros, *Phoenicurus*, 19, 20, 80, 313.
ocularis, *Prunella*, 19, 23, 25, 82.
Oculocincta squamifrons, 194.
oedicnemus, *Burhinus*, 73.
Oenanthe, 109.
 — *deserti*, 60, 79.
 — *finschi*, 20, 79, 313.
 — *hispanica*, 60, 79, 313, 460.
 — *isabellina*, 20, 60, 79, 318.
 — *leucomela*, 79.
 — *oenanthe*, 8, 12, 20, 60, 79, 313, 459, 462.
 — *xanthoprymnna*, 79.

oenas, *Columba*, 75.
oglastraæ, *Parus c.*, 262.
olax, *Treron*, 177.
olivacea, *Nectarinia*, 209.
 —, *Rhinomyias*, 192.
olivaceus, *Turdus*, 328.
olivascens, *Muscicapa*, 542.
ombriosus, *Parus c.*, 262.,
onocrotalus, *Pelecanus*, 62,
 300.
Onychognathus, *tristrami*,
 317.
opaca, *Hippolais*, p., 462.
oreganus, *Junco*, 567.
oreskios, *Harpactes*, 181.
orientalis, *Aquila r.*, 65.
 —, *Eurystomus*, 182, 350.
 —, *Parus c.*, 262.
Oriolus chinensis, 186, 244,
 350.
 —, *cruentus*, 186.
 —, *oriolus*, 60, 78, 312, 320,
 459.
 —, *xanthonotus*, 186.
 —, *xanthornus*, 186.
oritis, *Nectarinia*, 209.
orix, *Euplectes*, 321, 331.
Orphanopsar leguati, 342.
orophaeus, *Harpactes*, 181.
Orthotomus atrogularis, 193,
 245, 250, 350.
 —, *cucullatus*, 193.
 —, *ruficeps*, 245.
 —, *sepium*, 193, 350.
 —, *sericeus*, 193, 245, 350.
 —, *sutorius*, 245, 350.
oryzivora, *Padda*, 196, 247.
osea, *Nectarinia*, 209, 318.
ostrealegus, *Haematopus*, 8,
 50, 68, 308.
Otis tarda, 67.
 —, *tetraz*, 68.
Otus asio, 425.
 —, *bakkamoena*, 180, 243.
 —, *rufescens*, 180.
 —, *scops*, 22, 75, 180, 350,
 458.
Otus scops nivosus, subsp.
 nov., 538.
Otus senegalensis, 539.
 —, *spilocephalus*, 180.
oustaleti, *Nectarinia*, 209.
Oxyura, 111.
 —, *leucocephala*, 477.

Pachycephala cinerea, 192,
 349.
 —, *hypoxantha*, 192.
 —, *whiteheadi*, 192.
Pachyptila, 504.
 —, *belcheri*, 100, 359.
 —, *desolata*, 100, 359.
 —, *salvini*, 100.
 —, *turtur*, 358.
 —, *vittata*, 100.
pacificus, *Apus*, 110, 350.
 —, *Puffinus*, 34, 340, 504,
 517.
Padda oryzivora, 196, 247.
palliatus, *Garrulax*, 190.

pallida, *Hippolais*, 60, 81, 312,
 459, 462.
pallidirostris, *Lanius e.*, 84.
pallidus, *Apus*, 110, 208, 460.
 —, *Turdus*, 194.
palmarum, *Thraupis*, 426, 616.
palmenisi, *Parus c.*, 262.
palpebrosa, *Zosterops*, 246,
 349, 351.
paludicola, *Acrocephalus*, 460.
 —, *Riparia*, 90.
palumbus, *Columba*, 75, 425.
palustris, *Acrocephalus*, 81.
 —, *Telmatodytes*, 425.
panayensis, *Aplonis*, 186, 246,
 350.
Pandion haliaetus, 66, 173,
 317, 350, 460, 534.
paradisaea, *Sterna*, 410.
paradiseus, *Dicrurus*, 186.
paradisi, *Terpsiphone*, 192,
 350.
parasiticus, *Stercorarius*, 9,
 73, 509.
Parmoptila jamesoni, 547.
Parus ater, 78.
 —, *atricapillus*, 425.
 —, *caeruleus*, 78, 236, 260,
 262, 414, 425.
 —, *major*, 78, 104, 141, 143,
 192, 201, 251, 282, 349,
 414, 425, 450, 570.
parva, *Ficedula*, 313.
 —, *Muscicapa*, 60, 82.
 —, *Porzana*, 67, 306, 460.
parvus, *Cypsiurus*, 181, 243.
Passer domesticus, 85, 129–
 144, 203, 236, 247, 270–282,
 359–363.
 —, *flaveolus*, 249.
 —, *griseus*, 328.
 —, *hispaniolensis*, 318, 462,
 484.
 —, *melanurus*, 321.
 —, *montanus*, 85, 129–144,
 196, 247, 270–282, 350,
 359–363, 414.
Passerculus sandwichensis,
 434.
passerina, *Spizella*, 426.
passerinus, *Forpus*, 147.
pelagica, *Chaetura*, 425.
pelagicus, *Hydrobates*, 2.
Pelagodroma marina, 505,
 518.
Pelargopsis amauropetra, 349.
 —, *capensis*, 182, 349.
Pelecanus onocrotalus, 62, 300.
Pellorneum capistratum, 189.
pembae, *Nectarinia*, 209.
penelope, *Anas*, 64, 171, 306.
pennatus, *Hieraetus*, 65, 211,
 289, 460, 530.
percnopterus, *Neophron*, 21,
 47, 64, 289, 458, 525.
percussus, *Prionochilus*, 350.
peregrinus, *Falco*, 21, 66, 173,
 201, 289, 350, 534.
Pericrocotus flammeus, 187.
 —, *igneus*, 187.
 —, *roseus*, 187, 350.

Pericrocotus solaris, 187.
Perisoreus, 109.
perlata, *Rhipidura*, 191.
Pernis apivorus, 66, 210, 289,
 460, 533.
 —, *ptilorhynchus*, 172.
peroni, *Charadrius*, 174.
persica, *Sitta e.*, 262.
persicus, *Parus c.*, 262.
personata, *Agapornis*, 146.
Petrochelidon pyrrhonota,
 420, 425.
Petronia petronia, 20, 85.
Phaenicophaeus chlorophaeus
 179
 —, *curvirostris*, 179.
 —, *diardi*, 179.
 —, *javanicus*, 179.
 —, *sumatrana*, 179, 350.
phaeocephalus, *Criniger*, 188.
phaeopus, *Numenius*, 8, 50,
 55, 69, 175, 349, 355, 574.
Phaethon, 450.
 —, *aethereus*, 424, 508.
 —, *lepturus*, 340, 424, 508.
 —, *rubricauda*, 340.
Phalacrocorax africanus, 348.
 —, *aristotelis*, 424, 450.
 —, *auritus*, 424.
 —, *carbo*, 62, 170, 410.
 —, *pygmaeus*, 62.
Phalaropus, 50.
 —, *fulicarius*, 9, 73.
 —, *lobatus*, 72, 176.
phasianella, *Macropygia*, 178.
Pheucticus melanocephalus,
 567.
Philentoma pyrrhoptera, 192.
 —, *velata*, 192.
philippensis, *Loriculus*, 158.
 —, *Sturnus*, 187.
philippinus, *Merops*, 350.
 —, *Ploceus*, 247.
Philomachus pugnax, 50, 55,
 72, 176, 308, 469.
philomelos, *Turdus*, 313, 571.
Phodilus badius, 180.
Phoebe tristis, 504.
phoeniceus, *Agelaius*, 426.
Phoenicopterus ruber, 63, 300,
 482.
phoenicuroides, *Lanius c.*, 84.
Phoenicurus, 109.
 —, *ochrurus*, 19, 20, 80, 313.
 —, *phoenicurus*, 80, 282,
 313, 459.
phoenicurus, *Amaurornis*,
 174, 242.
Phylloscopus, 479.
 —, *bonelli*, 459.
 —, *borealis*, 193, 245, 350,
 353.
 —, *collybita*, 60, 82, 312,
 459.
 —, *inornatus*, 576.
 —, *nitidus*, 60, 82.
 —, *occipitalis*, 353.
 —, *sibilatrix*, 312, 320, 459.
 —, *trochilus*, 22, 60, 81, 235,
 459.
piaggiae, *Zoothera*, 544.

Pica, 109.
 — pica, 78, 425.
Picathartes gymnocephalus, 93.
 picatus, Hemipus, 187.
 picazuro, Columba, 103.
 pickeringi, Ducula, 177.
Picumnus innominatus, 184.
Picus mentalis 184, 350.
 — miniaceus, 184, 350.
 — puniceus, 184.
 — viridis, 77.
 — vittatus, 349.
pilaris, *Turdus*, 313, 571.
pileata, *Halcyon*, 182, 349, 353.
pileatus, *Coephloeus*, 425.
pinus, *Spinus*, 426.
Pipilo erythropthalmus, 426.
pixipcan, *Larus*, 575.
Pirenestes sanguineus, 356.
Pitta arcuata, 185.
 — baudi, 185.
 — brachyura, 185, 349, 351, 353.
 — caerulea, 185.
 — granatina, 185.
 — guajana, 185.
 — sordida, 185, 352.
Pityriasis gymnocephala, 186.
Platalea alba, 348.
 — leucorodia, 63, 300, 474.
Platylophus galericulatus, 187.
platyrhynchos, *Anas*, 64, 171, 202, 306.
Platysmurus leucopterus, 187.
Plectrophenax nivalis, 426, 449.
Plectropterus, 111.
Plegadis falcinellus, 63, 300, 348.
plicatus, *Aceros*, 349, 351.
Ploceus, 108.
 — intermedius, 321.
 — jacksoni, 346.
 — nigricollis, 546.
 — philippinus, 247.
 — velatus, 321, 331.
plumosus, *Pycnonotus*, 188.
Pluvialis dominica, 174, 574.
 — squatarola, 174, 308.
Podiceps cristatus, 62.
 — nigricollis, 62, 306.
 — ruficollis, 62, 169.
Pogonornis bidentatus, 354.
poliocephala, *Stachyris*, 190.
poliocephalus, *Batrachostomus*, 180.
 —, *Cuculus*, 179.
 —, *Turdus*, 193.
Poliolimnas cinereus, 174.
polyglotta, *Hippolais*, 459.
Polyplectron malacense, 173.
Polysticte, 111.
pomarina, *Aquila*, 65, 289, 530.
pomarinus, *Stercorarius*, 9.
Pomatorhinus montanus, 189.
Pooecetes gramineus, 426.
Porphyrio alleni, 342.
Porzana fusca, 174.

Porzana parva, 67, 306, 460.
 — porzana, 67, 306, 460.
 — pusilla, 67, 174, 460.
prasina, *Erythrura*, 196.
pratensis, *Anthus*, 12, 82.
pratincola, *Glareola*, 50, 55, 73, 176, 308, 460.
preussi, *Nectarinia*, 209.
Prinia flavicans, 324.
 — flaviventris, 192.
Prionochilus maculatus, 195.
 — percussus, 350.
 — thoracicus, 195.
 — xanthopygius, 195.
Procellaria, 340.
 — diomedea, 317.
 — grisea, 14.
Progne subis, 425.
Promerops cafer, 91.
Prunella collaris, 19, 25.
 — modularis, 19, 312, 414, 576.
 — ocularis, 19, 23, 25, 82.
Psalidoprocne albiceps, 545.
 — holomelaena, 545.
Psarisomus dalhousiae, 185.
Pseudaedon, 109.
Pseudogopus bengalensis, 253.
Pseudonigrita arnaudi, 546.
Psittacula krameri, 249.
 — longicauda, 178, 243, 349.
Psittinus cyanurus, 178, 349.
Pterodroma arminjoniana, 341, 505.
 — aterrima, 341, 505, 517.
 — barauai, 341, 505, 518.
 — macroptera, 341.
 — mollis, 505.
Pteruthius erythropterus, 190.
Ptilinopus, 343.
 — jambu, 177, 349.
 — melanocephalus, 177.
Ptilocichla leucogrammica, 189.
pitlorhynchos, *Pernis*, 172.
ptilosus, *Macronus*, 190.
Ptyonoprogne rupestris, 78.
puella, *Irena*, 189.
Puffinus aterrimus, 340.
 — carneipes, 341, 504, 518.
 — gavia, 100.
 — gravis, 3, 14.
 — griseus, 5, 424, 573.
 — leucomelas, 169.
 — l'herminieri, 34, 341, 505.
 — pacificus, 34, 340, 504, 517.
 — puffinus, 2, 3, 424, 448.
pugnax, *Philomachus*, 50, 55, 72, 176, 308, 469.
pulchella, *Lacedo*, 182.
 —, *Nectarinia*, 209, 346.
pulcherrima, *Megalaima*, 183.
pullaria, *Agapornis*, 146.
pulpa, *Mirafra*, 541, 547.
pulverulentus, *Mulleripicus*, 184, 350.
punctulata, *Munia*, 247, 362.
pumilio, *Indicator*, 540, 548.
puniceus, *Picus*, 184.
purpurea, *Ardea*, 63, 170, 300, 346, 349, 460.
purpureiventris, *Nectarinia*, 209.
pusilla, *Porzana*, 67, 174, 460.
 —, *Spizella*, 426.
 —, *Wilsonia*, 10, 12.
pusillus, *Serinus*, 21, 25, 85, 576.
Pycnonotus atriceps, 188, 350.
 — aurigaster, 249.
 — barbatus, 578.
 — blanfordi, 249.
 — brunneus, 188.
 — cafer, 249.
 — cyaniventris, 188.
 — dispar, 188.
 — erythrophthalmos, 187.
 — eutilotus, 187.
 — flavescens, 187.
 — goiavier, 187, 204, 245.
 — jocosus, 249.
 — masukuensis, 542.
 — melanoleucus, 188.
 — plumosus, 188.
 — simplex, 187.
 — sinensis, 249.
 — squamatus, 187.
 — zeylanicus, 187, 350.
pycnopygius, *Achaetops*, 92.
pygargus, *Circus*, 66, 335, 460, 534.
pygmaeus, *Phalacrocorax*, 62.
Pygoscelis adeliae, 450.
Pyrhocorax, 109, 113.
 — graculus, 19, 25, 78.
 — pyrrhocorax, 19, 78.
pyrrhogenys, *Trichastoma*, 189.
pyrrhonota, *Petrochelidon*, 420, 425.
pyrrhoptera, *Philentoma*, 192.
pyrrhopygus, *Copyschus*, 193.
Pyrrhula pyrrhula, 205.

Quelea quelea, 141, 144, 207.
querquedula, *Anas*, 40, 47, 64, 171, 306, 343, 344, 476.

raddei, *Parus c.*, 262.
radiceus, *Carpococcyx*, 179.
rafflesii, *Dinopium*, 184.
 —, *Megalaima*, 183.
Rallina fasciata, 174.
ralloides, *Ardeola*, 63, 300, 347.
Rallus aquaticus, 306, 460.
 — elegans, 424.
 — striatus, 174.
rapax, *Aquila*, 65, 530.
rectunguis, *Centropus*, 179.
Recurvirostra avosetta, 50, 55, 72, 308, 482, 483, 489.
regia, *Nectarinia*, 92, 209.
Regulus ignicapillus, 236.
 — regulus, 571.

- reichenbachii, *Nectarinia*, 209.
 reichenowi, *Nectarinia*, 209.
 reiseri, *Hippolais p.*, 462.
 religiosa, *Gracula*, 187, 350.
 rhinoceros, *Buceros*, 183.
Rhinomyias gularis, 192.
 — *olivacea*, 192.
 — *ruficauda*, 192.
 — *umbratilis*, 192.
Rhinoplaix vigil, 183.
Rhipidura albicollis, 191.
 — *javanica*, 191, 246, 350.
 — *perlata*, 191.
rhipidurus, *Corvus*, 317.
rhodolaema, *Anthreptes*, 195.
Rhodoneesa, 111.
Rhodopechys obsOLEta, 318.
 — *sanguinea*, 21, 25.
Rhyacornis, 109.
Rhynchosphanes mccownii, 426.
Richmondena cardinalis, 426.
ridibundus, *Larus*, 74, 106, 176, 197, 296, 460.
Riparia paludicola, 90.
 — *riparia*, 40, 41, 46, 78, 186, 312, 458.
risoria, *Streptopelia*, 442.
Rissa tridactyla, 11, 197.
roberti, *Cossypha*, 545.
robusta, *Arachnothera*, 195.
rockfelleri, *Nectarinia*, 92.
rodericanus, *Alectroenas*, 343.
 —, *Bebrornis*, 342.
rodericanus, *Necropsar*, 342.
Rollulus roulroul, 173, 616.
roseicollis, *Apagornis*, 146.
roseus, *Pericrocotus*, 187, 350.
 —, *Sturnus*, 47, 84, 312.
rossii, *Anser*, 410.
rostratum, *Trichastoma*, 189, 349.
roulroul, *Rollulus*, 173, 616.
rubecula, *Eriothacus*, 80, 203, 236, 313, 414, 425.
rubeculoides, *Muscicapa*, 353.
ruber, *Phoenicopterus*, 63, 300, 482.
rubescens, *Nectarinia*, 209.
rubetra, *Saxiola*, 60, 79, 313, 459.
rubicilla, *Carpodacus*, 25.
rubiginosa, *Sitta e.*, 262.
rubiginosus, *Blythipicus*, 184.
rubricauda, *Phaethon*, 340, 508.
rufa, *Anhinga*, 348.
rufescens, *Calandrella*, 77.
 —, *Otus*, 180.
rufescens, *Cossypha r.*, 545.
ruficapillus, *Enicurus*, 193.
ruficauda, *Rhinomyias*, 192.
ruficeps, *Macropygia*, 178.
 —, *Orthotomus*, 245.
ruficollis, *Calidris*, 176.
 —, *Caprimulgus*, 460.
 —, *Podiceps*, 62, 169.
 —, *Stelgidopteryx*, 425.
 —, *Turdus*, 60, 79.
rufidorsus, *Ceyx*, 350.
rufifrons, *Stachyris*, 190.
rufigastra, *Muscicapa*, 191, 349.
rufilata, *Muscicapa*, 191.
rufinus, *Buteo*, 65, 290, 480, 532.
rufopicta, *Lagonosticta*, 356.
rupestris, *Hirundo*, 18.
 —, *Ptyonoprogne*, 78.
rupPELLI, *Sylvia*, 312.
rustica, *Hirundo*, 40, 41, 46, 78, 185, 244, 312, 320, 410, 425.
rutenbergi, *Butorides*, 342.
ruticilla, *Setophaga*, 426.
rutilus, *Cypseloides*, 425.

sabini, *Xema*, 10.
sacra, *Demigretta*, 573.
 —, *Egretta*, 170.
Sakesphorus canadensis, 425.
salangana, *Collocalia*, 181.
salvini, *Pachyptila*, 100.
samamisicus, *Phoenicurus p.*, 313.
sancta, *Halcyon*, 182.
sandvicensis, *Sterna*, 40, 41, 75, 460, 483.
sandwichensis, *Passerculus*, 434.
sanguinea, *Rhodopechys*, 21, 25.
sanguineus, *Pirenestes*, 356.
sanguiniceps, *Haematoptyx*, 173.
Sarkidiornis, 111.
Sasia abnormis, 184.
satunini, *Parus c.*, 262.
saturatus, *Cuculus*, 179.
saularis, *Copyschus*, 193, 245, 350.
saxatilis, *Monticola*, 20, 79, 313, 460.
Saxicola, 109.
 — *rubetra*, 60, 79, 313, 459.
 — *torquata*, 313.
scandiaca, *Nyctea*, 425, 450.
schach, *Lanius*, 186.
schoenobaenus, *Acrocephalus*, 312, 459.
scirpaceus, *Acrocephalus*, 60, 80, 235, 312, 459.
scolopacea, *Eudynamis*, 179, 350.
scops, *Otus*, 22, 75, 180, 350, 458, 538, 539.
Scopus umbretta, 201.
scoticus, *Lagopus*, 410.
scutulata, *Ninox*, 180, 350.
seebohmi, *Oenanthe o.*, 462.
Seicercus montis, 193.
 — *superciliaris*, 193.
 — *trivirgatus*, 193.
seimundi, *Sphenurus*, 349.
Seiurus aurocapillus, 426.
 — *motacilla*, 426.
semipalatus, *Charadrius*, 574.
semipartitus, *Empidonax*, 543.
senator, *Lanius*, 312, 459.
senegala, *Tchagra*, 90.
senegalensis, *Burhinus*, 355.
 —, *Centropus*, 87.
 —, *Nectarinia*, 209.
 —, *Otus*, 539.
 —, *Streptopelia*, 578.
 —, *Sylvietta*, 356.
sepiarium, *Trichastoma*, 189.
sepium, *Orthotomus*, 193, 350.
sericeus, *Orthotomus*, 193, 245, 350.
Serinus albogularis, 92.
 — *burtoni*, 92.
 — *gularis*, 92, 328.
 — *leucopterus*, 91.
 — *mennelli*, 92.
 — *pusillus*, 21, 25, 85, 576.
 — *syriacus*, 313.
Setophaga ruticilla, 426.
Setornis criniger, 188.
severus, *Falco*, 173.
shelleyi, *Nectarinia*, 209.
Sialia sialis, 425.
sialis, *Sialia*, 425.
sibilatrix, *Phylloscopus*, 320, 459.
sibirica, *Ficedula h.*, 262.
 —, *Muscicapa*, 191, 353.
 —, *Zoothera*, 353.
siemundi, *Nectarinia*, 209.
 —, *Sphenurus*, 349.
simplex, *Anthreptes*, 195.
 —, *Pycnonotus*, 188.
sinensis, *Centropus*, 87, 179.
 —, *Ixobrychus*, 171.
 —, *Pycnonotus*, 249.
singalensis, *Anthreptes*, 195.
siparaja, *Aethopyga*, 195, 349.
Sitta europaea, 260, 262.
 — *frontalis*, 194.
 — *neumayeri*, 20, 79.
skua, *Catharacta*, 424, 509.
 —, *Stercorarius*, 9, 518.
smyrnensis, *Halcyon*, 243, 350.
solaris, *Pericrocotus*, 187.
solitarius, *Monticola*, 193, 313.
soloensis, *Accipiter*, 172.
Somateria, 111.
 — *mollissima*, 410.
sonnerati, *Cacomantis*, 179.
 —, *Chloropsis*, 189, 350.
sordida, *Pitta*, 185, 352.
sparverioides, *Cuculus*, 178.
sparverius, *Falco*, 424.
Spatula clypeata, 64.
speciosa, *Ardeola*, 171.
speculigera, *Ficedula h.*, 262.
sperata, *Nectarinia*, 195, 350.
Spermestes, 547.
Spermophaga haematina, 356.
Sphenoeacus, 92.
Sphenorynchus abdimii, 410.
Sphenurus seimundi, 349.
spilocephalus, *Otus*, 180.
spilogaster, *Hieraaetus*, 441.
Spilornis cheela, 173, 350, 569.

- spinoletta, *Anthus*, 18, 25, 312, 469.
spinosis, *Hoplopterus*, 308.
Spinus pinus, 426.
spinus, *Carduelis*, 313, 577.
Spizaetus alboniger, 172.
 — *cirrhatus*, 172.
 — *nanus*, 172.
Spizella passerina, 426.
 — *pusilla*, 426.
splendens, *Corvus*, 244, 350.
Sporophila aurita, 426.
 — *nigricollis*, 426.
Spreo albicapillus, 547.
squamatus, *Pycnonotus*, 188.
squamifrons, *Oculocincta*, 194.
Squatarola squatarola, 340, 574.
squatarola, *Charadrius*, 50, 55, 68, 355.
 —, *Pluvialis*, 174, 308.
Stachyrnis erythroptera, 190.
 — *leucotis*, 190.
 — *maculata*, 190.
 — *nigriceps*, 190.
 — *nigricollis*, 190.
 — *poliocephala*, 190.
 — *rufifrons*, 190.
stagnatilis, *Tringa*, 50, 55, 71, 175, 308.
Stelgidopteryx ruficollis, 425.
stellaris, *Botaurus*, 171, 300.
stellatus, *Batrachostomus*, 180.
stenura, *Capella*, 175.
Stephanoaeetus coronatus, 441.
Sterna dougallii, 11, 177, 340, 513.
 — *fusca*, 336, 340, 509, 517.
 — *hirundo*, 11, 40, 41, 74, 296.
 — *macrura*, 11.
 — *paradisea*, 410.
 — *sandvicensis*, 40, 41, 75, 460, 483.
 — *sumatrana*, 177.
Stictonetta, 111.
stigmatus, *Loriculus*, 154.
stolidus, *Anous*, 177, 340, 513, 518.
stormi, *Ciconia*, 171.
strepera, *Anas*, 64.
Streptopelia bitorquata, 178.
 — *chinensis*, 178, 243, 362.
 — *risoria*, 442.
 — *senegalensis*, 578.
 — *turtur*, 75, 236, 309, 458, 475.
striata, *Coracina*, 187, 350.
 —, *Dendroica*, 410.
 —, *Geopelia*, 178, 243.
 —, *Kenopia*, 190.
 —, *Munia*, 248.
 —, *Muscicapa*, 22, 60, 82, 313, 459, 616.
striatus, *Butorides*, 171, 342, 349.
 —, *Rallus*, 174.
striolata, *Hirundo*, 186.
- Strix aluco*, 76.
 — *leptogrammica*, 180.
sturmii, *Ardeirallus*, 346.
sturninus, *Sturnus*, 246.
Sturnus philippensis, 187.
 — *roseus*, 47, 84, 312.
 — *sturninus*, 246.
 — *vulgaris*, 47, 84, 104, 312, 426, 448, 449.
subaesalon, *Falco c.*, 8, 13.
subbuteo, *Falco*, 46, 66, 289, 460, 534.
subis, *Progne*, 425.
subpersonata, *Motacilla*, a., 90, 462.
Sula, 448.
 — *bassana*, 8, 424, 449.
 — *dactylatra*, 339, 424, 508.
 — *leucogaster*, 169, 317, 424.
 — *sula*, 169, 424, 509.
sumatrana, *Ardea*, 170, 349.
 —, *Bubo*, 180.
 —, *Sterna*, 177.
sumatranus, *Corydon*, 185.
 —, *Phaenicophaeus*, 179, 350.
superba, *Nectarinia*, 209.
superciliaris, *Seicercus*, 193.
superciliosus, *Merops*, 40, 41, 76, 182, 244, 309, 458.
Surniculus lugubris, 179.
suscitator, *Turnix*, 242.
sutorius, *Orthotomus*, 245, 350.
sveticica, *Cyanosylvia*, 459.
 —, *Luscinia*, 313.
swainsoni, *Hylocichla u.*, 450.
sylvaticus, *Bradypterus*, 92.
Sylvia althaea, 81.
 — *atricapilla*, 81, 312, 459.
 — *borin*, 60, 81, 235, 312, 459.
 — *cantillans*, 235, 312, 459, 462, 475, 576.
 — *communis*, 19, 60, 81, 235, 312, 459.
 — *conspicillata*, 318.
 — *curruca*, 60, 81, 312.
 — *hortensis*, 312, 460.
 — *melanocephala*, 317.
 — *minulla*, 81, 616.
 — *mystacea*, 60, 81.
 — *nistoria*, 81, 576.
 — *ruppelli*, 312.
 — *undata*, 410.
Sylvieta senegalensis, 356.
syriacus, *Serinus*, 313.
- tacazzae*, *Nectarinia*, 209.
Tachycineta thalassina, 425.
Tachyeres, 111.
Tadorna, 111.
 — *ferruginea*, 469.
 — *tadorna*, 306.
tahitica, *Hirundo*, 185, 244, 350.
taitensis, *Eudynamis*, 575.
 — *urodynamis*, 410.
talatala, *Nectarinia*, 209.
- talpacoti*, *Columbigallina*, 425, 449.
tanae, *Bubo africanus*, subsp. nov. 539.
Tanagra violacea, 426.
Tanygnathus lucionensis, 178.
taranata, *Agapornis*, 146.
tarda, *Otis*, 67.
Tarsiger, 109.
Tauraco johnstoni, 538.
Tchagra australis, 545.
 — *jamesi*, 545.
 — *senegala*, 90.
Telmatodytes palustris, 425.
temia, *Crypsirhina*, 249.
temmincki, *Erostopodus*, 180.
temminckii, *Calidris*, 50, 55, 71, 176, 308.
teneriffae, *Parus c.*, 262.
tenuirostris, *Anous*, 340, 513, 517.
 —, *Calidris*, 71, 176.
 —, *Numenius*, 69.
Tephrodornis gularis, 187, 350.
tephronotum, *Glaucidium*, 540.
Terathopius ecaudatus, 441.
terek, *Tringa*, 175, 349.
Terpsiphone atrocaudata, 349.
 — *paradisi*, 192, 350.
testacea, *Calidris*, 50, 55, 72.
Testudophaga bicolor, 342.
Tetraogallus caspius, 22, 25.
 — *caucasicus*, 25.
tetraz, *Otis*, 68.
Thalasseus bergii, 340, 513.
thalassina, *Kitta*, 187.
 —, *Muscicapa*, 191.
 —, *Tachycineta*, 425.
Thalassornis, 111.
thayeri, *Larus*, 199.
thoracicus, *Prionochilus*, 195.
Thraupis palmarum, 426, 616.
Threskiornis aethiopicus, 347, 349.
 — *melanocephala*, 171.
thunbergi, *Motacilla f.*, 83, 458.
Tichodroma muraria, 20, 25.
tigrinus, *Lanius*, 186, 353.
tinnunculus, *Falco*, 8, 22, 47, 67, 173, 289, 535.
tiphia, *Aegithina*, 189, 245, 350.
tobaci, *Amazilia*, 425, 449.
torquata, *Saxicola*, 313.
torquatus, *Acridotheres f.*, 246.
 —, *Turdus*, 20, 25.
torquilla, *Jynx*, 60, 77, 309, 458.
totanus, *Tringa*, 50, 55, 70, 175, 308, 349, 460.
toulou, *Centropus*, 87.
toulsoni, *Apus*, 110.
Toxostoma curvirostre, 420, 425, 450.
traillii, *Empidonax*, 449.
Treron capellei, 177.
 — *curvirostra*, 177, 349.

- Treron fulvicollis, 177, 349.
 — olax, 177.
 — vernans, 177, 242, 349.
 trichas, Geothlypis, 426.
 Trichastoma abbotti, 189.
 — bicolor, 189.
 — malaccense, 189.
 — pyrrhogenys, 189.
 — rostratum, 189, 349.
 — sepiarium, 189.
 tridactyla, Rissa, 11, 197.
 tridactylus, Larus, 197.
 trigonostigmum, Dicaeum, 195, 246.
 Tringa erythropus, 50, 55, 71, 175, 308, 483.
 — glareola, 50, 55, 70, 175, 308, 460.
 — guttifer, 175.
 — hypoleucus, 50, 55, 70, 175, 308, 350, 458, 574.
 — macularia, 574.
 — nebularia, 50, 55, 71, 175, 308, 460.
 — ochropus, 50, 55, 70, 175, 308, 458.
 — stagnatilis, 50, 55, 71, 175, 308.
 — terek, 175, 349.
 — totanus, 50, 55, 70, 175, 308, 349, 460.
 tristis, Acridotheres, 246.
 — Meiglyptes, 184.
 tristrami, Oceanodroma, 28.
 — Onychognathus, 317.
 trivialis, Anthus, 47, 82, 458, 555.
 trivirgatus, Accipiter, 172.
 — Seicercus, 193.
 trochilus, Phylloscopus, 22, 60, 81, 235, 459.
 Troglohydtes aedon, 143, 425.
 — musculus, 425.
 — troglodytes, 79, 414, 571.
 tropica, Fregetta, 27, 508.
 tschegraya, Hydroprogne, 317.
 tukki, Meiglyptes, 184.
 turcosa, Muscicapa, 191.
 Turdus, 109.
 — ericotomus, 335.
 — fischeri, 543, 547.
 — merula, 79, 236, 313.
 — migratorius, 426.
 — musicus, 571.
 — olivaceus, 328.
 — pallidus, 194.
 — philomelos, 313, 571.
 — pilaris, 313, 571.
 — poliocephalus, 193.
 — ruficollis, 60, 79.
 — torquatus, 20, 25.
 — viscivorus, 313.
 Turnix suscitator, 242.
 turtur, Pachyptila, 358.
 — Streptopelia, 75, 236, 309, 458, 475.
 Tyto alba, 249, 425.
 ultramarinus, Parus c., 262.
 umbellus, Bonasa, 424.
 umbratilis, Rhinomyias, 192.
 umbretta, Scopus, 201.
 undata, Sylvia, 410.
 undulata, Chlamydotis, 68.
 undulatus, Aceros, 183, 351, 616.
 —, Melopsittacus, 151.
 unicolor, Apus, 110, 208.
 —, Muscicapa, 191.
 Upupa epops, 60, 77, 182, 309, 458.
 Uraeginthus bengalus, 356.
 urbica, Delichon, 18, 78, 312, 458.
 Uria aalge, 11.
 — grylle, 12.
 — lomvia, 11.
 Urodynamis taitensis, 410.
 ustulata, Hylocichla, 426, 450.
 vagans, Cuculus, 178.
 validus, Chrysocolaptes, 184, 351.
 Vanellus vanellus, 50, 55, 68, 308.
 variegatus, Numenius p., 574.
 variolosus, Cacomantis, 179, 350.
 varius, Fregilupus, 342, 344.
 vauxi, Chaetura, 425.
 velata, Philentoma, 192.
 velatus, Ploceus, 321, 331.
 venusta, Muscicapa, 191.
 —, Nectarinia, 209.
 vernalis, Loriculus, 145–164.
 vernans, Treron, 177, 242, 349.
 veroxii, Nectarinia, 209.
 verticalis, Nectarinia, 209.
 vespertinus, Falco, 289, 534.
 vestita, Collocalia, 181.
 victorini, Bradypterurus, 91.
 vidua, Motacilla a., 90.
 vigil, Rhinoploax, 183.
 violacea, Nectarinia, 91, 209.
 —, Tanagra, 426.
 virescens, Butorides, 424.
 —, Microscelis, 188.
 virgatus, Accipiter, 172, 252, 350.
 virginianus, Bubo, 425, 449.
 —, Colinus, 282.
 viridis, Calyptomena, 185.
 —, Merops, 182, 244, 350.
 —, Picus, 77.
 viridissima, Aegithina, 189.
 viscivorus, Turdus, 313.
 vitiensis, Columba, 178.
 vittata, Pachyptila, 100.
 vittatus, Picus, 349.
 vocifer, Haliaeetus, 441, 448.
 vulgaris, Sturnus, 47, 84, 104, 312, 426, 448, 449.
 vulpinus, Buteo b., 532.
 wahlbergi, Aquila, 441.
 westermanni, Muscicapa, 191.
 whiteheadi, Calyptomena, 185.
 —, Cettia, 192.
 —, Harpactes, 181.
 —, Pachycephala, 192.
 willcocksi, Indicator, 541.
 williamsi, Mirafra, 541.
 —, Zosterops p., 544.
 williamsoni, Zosterops p., 351.
 Wilsonia pusilla, 10, 12.
 Xanthocephalus xanthocephalus, 426.
 Xantholaema haemacephala, 249.
 xanthonotus, Oriolus, 186.
 xanthopyryma, Oenanthe, 79.
 xanthopygius, Prionochilus, 195.
 xanthorhynchus, Chalcites, 179.
 xanthornus, Oriolus, 186.
 Xema sabini, 10.
 Xenus cinereus, 50, 71.
 yarrelli, Motacilla a., 90, 616.
 Yuhina zantholeuca, 190.
 zantholeuca, Yuhina, 190.
 zanthopygia, Muscicapa, 353.
 Zenaida asiatica, 207.
 — auriculata, 102.
 zeylanicus, Pycnonotus, 188, 350.
 Zonotrichia leucophrys, 207, 426, 566.
 Zosterops, 342.
 — atricapilla, 194.
 — everetti, 194.
 — guttata, 543.
 — interpres, 194.
 — oberlaenderi, 544.
 — piaggiae, 544.
 — sibirica, 353.
 — palpebrosa, 246, 349, 351.

IBIS 1968

CORRIGENDA

- P. 81 *Sylvia minula* to read *Sylvia minulla*
 P. 82 MUSCIPAPA STRIATA to read MUSCICAPA STRIATA
 P. 87 *Centropus monacus* to read *Centropus monachus*
 P. 90 *Motacilla yarrellii* to read *Motacilla yarrelli*
 P. 109 *Myophonus* to read *Myiophonus*
 P. 173 ROLLULUS ROULOUL to read ROLLULUS ROULROUL
 P. 181 HARPACTES DUVAUCELI to read HARPACTES DUVAUCELII
 P. 183 MEGALAIMA HENRICI to read MEGALAIMA HENRICII
 P. 183 MEGALAIMA MYSTACOPHANES to read MEGALAIMA MYSTACOPHANOS
 P. 184 INDICATOR ARCHIPELAGICUS to read INDICATOR ARCHIPELAGUS
 P. 190 MACRONOUS to read MACRONUS
 P. 209 *N. erythroceria* to read *N. erythrocerca*
 P. 248 *Microscelis melellandii* to read *Microscelis mcclellandii*
 P. 351 *Aceros undulatus* to read *Aceros undulatus*
 P. 426 *Motherus ater* to read *Molothrus ater*
 P. 426 *Thraupis palmarum* to read *Thraupis palmarum*
 P. 426 *Pooecetes gramineus* to read *Pooecetes gramineus*
 P. 543 MELAINORNIS to read MELAENORNIS
 P. 566 *Melagris* to read *Meleagris*

